

NITROUS OXIDE- nitrous oxide gas
DJB Gas Services, Inc

Nitrous Oxide

NITROUS OXIDE USP UN1070 NON-FLAMMABLE GAS 2 OXIDIZER 5.1

USP Rx only. WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER CONTAINS GAS UNDER PESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes on skin or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2 DO NOT REMOVE THIS LABEL.

DJB Gas Services, Inc. DJB Gas Services, Inc 1177 South Swaner Road Salt Lake City, Utah 84104 801-908-7800 . www.djbgas.com

NITROUS OXIDE USP

UN1070



USP RX Only.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL.



Gas
Services,
Inc.

DJB GAS SERVICES, INC.
1177 South Swaner Road
Salt Lake City, Utah 84104
801-908-7800 • www.djbgas.com



NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:43621-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43621-003-11	198 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
2	NDC:43621-003-12	255 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
3	NDC:43621-003-13	425 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
4	NDC:43621-003-14	708 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
5	NDC:43621-003-15	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
6	NDC:43621-003-16	1614 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
7	NDC:43621-003-17	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
8	NDC:43621-003-18	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
9	NDC:43621-003-19	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
10	NDC:43621-003-20	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	09/12/2016	
11	NDC:43621-003-21	180 L in 1 DEWAR; Type 0: Not a Combination Product	09/12/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205704	09/12/2016	

Labeler - DJB Gas Services, Inc (053129180)

Establishment

Name	Address	ID/FEI	Business Operations
DJB Gas Services, Inc		053129180	manufacture(43621-003)

Revised: 10/2023

DJB Gas Services, Inc