

MEDI-FIRST PVP IODINE WIPES- povidone iodine 10% swab
Unifirst-First Aid

Medi-First PVP Iodine Wipes

Drug Facts

Active ingredient

Povidone-iodine 10%

(contains 1% titratable iodine)

Purpose

Antiseptic

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Do not use

- in the eyes
- over large areas of the body
- on individuals who are allergic or sensitive to iodine
- as a first aid antiseptic for longer than 1 week

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area

- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Other information

- store at controlled temperature 59-86°F (15-30°C)

Inactive ingredients

citric acid, glycerin, nonxynol-9, sodium hydroxide, water

Questions?

Call 1-800-634-7680

Medi-First PVP Iodine Label

Medi-First®

PVP Iodine Wipes

Product # 26712

1" x 2" Wipes

Net Contents: 10 per box



MEDI-FIRST®

PVP Iodine Wipes

First aid to help prevent infection in minor cuts, scrapes and burns.

Product # 26712

1" x 2" Wipes
NET CONTENTS: 10 per box

PVP Iodine Wipes
Product # 26712
10 per Box

Drug Facts

Active ingredient Povidone-iodine 10% (contains 1% titratable iodine)	Purpose Antiseptic
Uses ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns	
Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Do not use ■ in the eyes ■ over large areas of the body ■ on individuals who are allergic or sensitive to iodine ■ as a first aid antiseptic for longer than 1 week Stop use and ask a doctor if ■ condition worsens or persists for more than 72 hours ■ irritation and redness develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ clean the affected area ■ apply 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first	
Other information ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper evident sealed packets ■ do not use any open or torn packets	
Inactive ingredients citric acid, glycerin, nonoxonyl-9, sodium hydroxide, water	Questions? Call 1-800-634-7680

Mfg. for Medique Products, Fort Myers, FL 33967
www.mediqueproducts.com

MADE IN CHINA

MEDI-FIRST PVP IODINE WIPES

povidone iodine 10% swab

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-267
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)		IODINE	10 mg	in 1 mL
Inactive Ingredients				
Ingredient Name			Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
NONOXYNOL-9 (UNII: 48Q180SH9T)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-267-12	10 in 1 BOX	12/01/2016	
1	NDC:47682-267-99	0.375 mL in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M003	12/01/2016	

Labeler - Unifirst-First Aid (832947092)

Revised: 1/2024

Unifirst-First Aid