

ICY HOT PAIN RELIEVING STICK- menthol and methyl salicylate stick
ICY HOT PAIN RELIEVING BALM- menthol and methyl salicylate ointment
ICY HOT PAIN RELIEVING CREAM- menthol and methyl salicylate cream
Chattem, Inc.

Icy Hot

ICYHOT® PAIN RELIEVING STICK
Drug Facts

Active ingredient

Menthol 10%

Methyl salicylate 30%

Purpose

Topical analgesic

Uses

temporarily relieves minor pain associated with:

- arthritis
- simple backache
- muscle strains
- sprains
- bruises
- cramps

Warnings

For external use only

SEE INSIDE LABEL FOR COMPLETE DRUG FACTS

Allergy Alert: If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin

- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- a transient burning sensation may occur upon application but generally disappears in several days
- if severe burning sensation occurs, discontinue use immediately
- do not expose the area treated with product to heat or direct sunlight

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- apply a thin layer to affected area
- massage into painful area until thoroughly absorbed into skin
- repeat as necessary, but not more than 4 times daily

children 12 years or younger: ask a doctor

Inactive ingredients

ceresin, cyclomethicone, hydrogenated castor oil, microcrystalline wax, paraffin, PEG-150 distearate, propylene glycol, stearic acid, stearyl alcohol (245-111)

ICYHOT® PAIN RELIEVING BALM

Drug Facts

Active ingredient

Menthol 7.6%

Methyl salicylate 29%

Purpose

Topical analgesic

Uses

temporarily relieves minor pain associated with:

- arthritis
- simple backache
- muscle strains
- sprains
- bruises
- cramps

Warnings

For external use only

Allergy alert: if prone to allergic reaction from aspirin or salicylates, consult a doctor before use

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- do not use at the same time as other topical analgesics
- a transient burning sensation may occur upon application but generally disappears in several days
- if severe burning sensation occurs, discontinue use immediately
- do not expose the area treated with product to heat or direct sunlight
- avoid applying into skin folds

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- apply a thin layer to affected area
- massage into painful area until thoroughly absorbed into skin
- repeat as necessary, but no more than 4 times daily
- **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER**

children 12 years or younger: ask a doctor

Inactive ingredients

paraffin, white petrolatum

ICYHOT® PAIN RELIEVING CREAM
Drug Facts

Active ingredient

Menthol 10%

Methyl salicylate 30%

Purpose

Topical analgesic

Uses

temporarily relieves minor pain associated with:

- arthritis
- simple backache

- muscle strains
- sprains
- bruises
- cramps

Warnings

For external use only

Allergy alert: if prone to allergic reaction from aspirin or salicylates, consult a doctor before use

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- do not use at the same time as other topical analgesics
- a transient burning sensation may occur upon application but generally disappears in several days
- if severe burning sensation occurs, discontinue use immediately
- do not expose the area treated with product to heat or direct sunlight
- avoid applying into skin folds

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- apply a thin layer to affected area
- massage into painful area until thoroughly absorbed into skin
- repeat as necessary, but no more than 4 times daily
- **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER**

children 12 years or younger: ask a doctor


Inactive ingredients

carbomer, cetearyl alcohol, cetyl esters, oleth-3 phosphate, polysorbate 60, stearic acid, triethanolamine, water

Close cap tightly after use.

PRINCIPAL DISPLAY PANEL

ICYHOT® PAIN RELIEVING STICK EXTRA STRENGTH PAIN RELIEVING STICK Net wt 1.75 oz (49 g)



PRINCIPAL DISPLAY PANEL

ICYHOT® PAIN RELIEVING BALM Net wt 3.5 oz (99.2 g)



**PAIN RELIEF
BALM**

NET WT 3.5 OZ (99.2 g)

Drug Facts

Active ingredients

	Purpose
Menthol 7.6%	Topical analgesic
Methyl salicylate 29%	Topical analgesic

Uses temporarily relieves minor pain associated with: ■ arthritis ■ simple backache
■ muscle strains ■ sprains ■ bruises ■ cramps

Warnings

For external use only

Allergy alert: if prone to allergic reaction from aspirin or salicylates, consult a doctor before use

When using this product ■ use only as directed. Read and follow all directions and warnings on this label.
■ avoid contact with eyes and mucous membranes ■ rare cases of serious burns have been reported with products of this type ■ do not apply to wounds or damaged, broken or irritated skin ■ do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use ■ do not use at the same time as other topical analgesics ■ a transient burning sensation may occur upon application but generally disappears in several days ■ if severe burning sensation occurs, discontinue use immediately ■ do not expose the area treated with product to heat or direct sunlight ■ avoid applying into skin folds

Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ irritation develops
■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

continued on cap

0050039-01
Dist. by Chatham, Inc.,
a Sunoff Company
P.O. Box 2219
Chattanooga, TN
37409-0219 USA
©2020
www.icyhot.com



TOP

0079358-01

ICYHOT
ORIGINAL

Print Here

**PAIN RELIEF
BALM**

Drug Facts continued inside

INSIDE TOP

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- apply a thin layer to affected area
- massage into painful area until thoroughly absorbed into skin
- repeat as necessary, but no more than 4 times daily

BASE

Drug Facts (continued)

■ **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER**
children 12 years and younger:
ask a doctor

Inactive ingredients
paraffin, white petrolatum

Close cap tightly between uses.

309-163

CHATTEM

A SANDOZ COMPANY

©2020 Chattem, Inc.
www.icyhot.com

PRINCIPAL DISPLAY PANEL

ICYHOT® PAIN RELIEVING CREAM
Net wt 1.25 oz (35.4 g)



Drug Facts
Active ingredients
Menthol 10%
Methyl salicylate 30%
Purpose
Topical analgesic
Uses
Temporarily relieves minor joint/muscle pain
• sprains • muscle strains • bruising

ICYHOT ORIGINAL

MENTHOL 10% + METHYL SALICYLATE 30%

NEW LOOK

ICYHOT ORIGINAL

PAIN RELIEF CREAM
FEEL IT WORKING INSTANTLY



- ▶ Powerful Pain Relief for Muscles and Joints
- ▶ Icy to Dull, Hot to Relax
- ▶ Non-Greasy

NET WT 1.25 OZ (35.4 g)

ICYHOT ORIGINAL

TARGETED RELIEF FOR

- ▶ Simple Backache
- ▶ Sprains
- ▶ Muscle Strains
- ▶ Bruises

PLEASE READ AND UNDERSTAND THE DRUG FACTS BEFORE USING.
Close cap tightly after use.

CHATTEM
A SANOFT COMPANY



Dist. by Chattem, Inc., a Sanofi Company
P.O. Box 2210
Cliftonooga, TN 37409-0219 USA
©2020 www.icyhot.com

0 41167 00883 6

0049722-02
309-184

Drug Facts (continued)
Warnings
For external use only
Allergy alert: If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.
When using this product
• use only as directed. Read and follow all directions and warnings on this carton.
• avoid contact with eyes and mucous membranes
• rare cases of serious burns have been reported with products of this type
• do not apply to wounds or damaged, broken or irritated skin
• do not bandage lightly or apply local heat (such as heating pads) or a medicated patch to the area of use
• do not use at the same time as other topical analgesics
• a transient burning sensation may occur upon application but generally disappears in several days
• if severe burning sensation occurs, discontinue use immediately
• do not expose the area treated with product to heat or direct sunlight
• avoid applying into skin folds
Stop use and ask a doctor if
• condition worsens • redness is present
• irritation develops
• symptoms persist for more than 7 days or clear up and occur again within a few days
• you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
adults and children over 12 years:
• apply a thin layer to affected area
• massage into painful area until thoroughly absorbed into skin
• repeat as necessary, but no more than 4 times daily
AFTER APPLYING, WASH HANDS WITH SOAP AND WATER
children 12 years or younger: ask a doctor

Inactive ingredients
carbamate, ethanol alcohol, cetyl ester, diethyl phosphate, polyethylene glycol, stearic acid, triethanolamine, water

PAIN RELIEF CREAM
FEEL IT WORKING INSTANTLY

ICYHOT ORIGINAL

▶ Powerful Pain Relief for Muscles and Joints

▶ Icy to Dull, Hot to Relax

▶ Non-Greasy

NET WT 1.25 OZ (35.4 g)

ICYHOT ORIGINAL

ICY HOT PAIN RELIEVING STICK

menthol and methyl salicylate stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0089
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	30 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CERESIN (UNII: Q1LS2UJO3A)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0089-8	49 g in 1 JAR; Type 0: Not a Combination Product	06/01/1991	01/31/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/1991	01/31/2023

ICY HOT PAIN RELIEVING BALM

menthol and methyl salicylate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0087
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7.6 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	29 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PARAFFIN (UNII: I9O0E3H2ZE)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0087-9	99 g in 1 JAR; Type 0: Not a Combination Product	06/01/1991	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/1991	

ICY HOT PAIN RELIEVING CREAM

menthol and methyl salicylate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0088
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	30 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CETYL ESTERS WAX (UNII: D072FFP9GU)	
OLETH-3 PHOSPHATE (UNII: 8Q0Z18J1VL)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

WATER (UNII: 059QF0KO0R)

TROLAMINE (UNII: 9O3K93S3TK)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0088-1	1 in 1 CARTON	06/01/1991	
1		85 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-0088-5	1 in 1 CARTON	06/01/1991	
2		35.4 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:41167-0088-8	1 in 1 CARTON	06/01/1991	07/31/2014
3		44 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/1991	

Labeler - Chattem, Inc. (003336013)

Revised: 10/2023

Chattem, Inc.