

ASSORTED FRUIT ANTACID CHEWS- calcium carbonate tablet, chewable
Target Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Calcium Carbonate 750 mg

Active ingredient (in each chewable tablet)

Calcium carbonate 750 mg

Purpose

Antacid

Uses: Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach due to these symptoms

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Warnings

Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

Other information

- Each chewable tablet contains: calcium 300 mg
- Contains soy
- Contains FD&C yellow No. 5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients

Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose, and titanium dioxide.

Questions? Or to report an adverse event call **1-800-245-2898**, Monday - Friday, 9am to 4pm EST

Drug Facts (continued)

Directions: Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years consult a doctor.

Other information ■ Each chewable tablet contains:
 Calcium 300mg ■ Contains soy
 ■ Contains FD&C yellow No.5 (tartrazine) as a color additive
 ■ Store between 20° to 25°C (68° to 77°F) in a dry place.

Inactive ingredients Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.

Questions? Or to report an adverse event call **1-800-245-2898** Mon - Fri, 9AM - 4PM EST

*This product is not manufactured or distributed by Bayer, owner of the registered trademark Alka-Seltzer® or any of its affiliates.

Gluten Free

Compare to Alka-Seltzer® ReliefChews™

extra strength
antacid chews
 calcium carbonate, 750 mg

helps relieve heartburn, sour stomach and acid indigestion



60 CHEWABLE TABLETS

Drug Facts

Active ingredient (in each chewable tablet) Purpose
 Calcium carbonate 750mg..... Antacid

Uses Relieves
 ■ Heartburn ■ Sour stomach ■ Acid indigestion
 ■ Upset stomach due to these symptoms

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.
 Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.
When using this product constipation may occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

245 05 0765 R03 ID285492
 Dist. by Target Corp.
 Mpls., MN 55403
 TM & © 2020 Target Brands, Inc.
 Shop Target.com
Made in USA of U.S. and imported ingredients.

ASSORTED FRUIT ANTACID CHEWS

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-040
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	orange (orange, pink, yellow)	Score	no score
Shape	ROUND	Size	14mm
Flavor	ORANGE (orange, lemon, strawberry)	Imprint Code	FC
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-040-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	12/04/2015	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	12/04/2015	

Labeler - Target Corporation (006961700)

Registrant - Bestco Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(11673-040)

Revised: 10/2023

Target Corporation