

**ASSORTED FRUIT FLAVOR CHEWS- calcium carbonate tablet, chewable**  
**Dollar General Corporation**

-----  
**Calcium Carbonate 750 mg**

**Active ingredient (in each chew)**

Calcium carbonate 750 mg

**Purpose**

Antacid

Uses: Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach due to these symptoms

**Do not use if** you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor or pharmacist before use if you are** now taking a prescription drug. Antacids may interact with certain prescription drugs.

**Warnings**

Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**When using this product** constipation may occur.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Directions**

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

**Other Information**

Each chew contains: calcium 300 mg, magnesium 1 mg

Contains soy

**Inactive ingredients**

Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow #5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, pregelatinized corn starch, propylene

glycol, propyl paraben, phosphoric acid, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide.

**Questions? Call (888) 309-9030.**

**Drug Facts (continued)**  
**Inactive ingredients (continued)**  
 FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, pregelatinized corn starch, propylene glycol, propyl paraben, phosphoric acid, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose, titanium dioxide. Soybean oil and corn starch used as processing aids.

**Other information**  
 • Each chew contains: calcium 300mg, magnesium 1mg  
 • Contains milk and soy  
 • Store between 20° to 25° C (68° to 77°F) in a dry place

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

Visit us at: [Rexall.com](http://Rexall.com) or call 1-866-4-REXALL

PACKAGED FOR DOLGENCORP, LLC  
 100 MISSION RIDGE  
 GOODLETTSVILLE, TN 37072 USA

**Since 1903 Rexall®**

**EXTRA STRENGTH**

**Antacid Fruit Chews**  
 Chewy, Non-Chalky

Assorted Fruit

- Relieves heartburn
- Sour stomach
- Acid indigestion

CALCIUM CARBONATE 750 mg

36 Fruit Chews

**Drug Facts**  
**Active ingredient (in each chew)** Purpose  
 Calcium carbonate 750 mg Antacid

**Uses:** Relieves  
 • Heartburn • Sour stomach • Acid indigestion  
 • Upset stomach due to these symptoms.

**Warnings**  
**Ask a doctor or pharmacist before use if you are now taking a prescription drug.** Antacids may interact with certain prescription drugs.  
 Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.  
**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.**

**Directions**  
 Adults and children 12 years and older chew and swallow 2 to 4 chews, hourly if needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

**Inactive ingredients:** Beeswax, carmine, carnauba wax, citric acid, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake.

A0737  
 0 70312 36094 9  
 PN 217826

## ASSORTED FRUIT FLAVOR CHEWS

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-070
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	orange (orange, pink, yellow)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>	ORANGE (Orange, Lemon, Strawberry)	<b>Imprint Code</b>	FC
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-070-36	36 in 1 BOTTLE; Type 0: Not a Combination Product	03/22/2016	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/22/2016	

**Labeler** - Dollar General Corporation (068331990)

**Registrant** - Bestco Inc. (002149136)

### Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(55910-070)

Revised: 10/2023

Dollar General Corporation