

STAPHWASH PLUS - zinc acetate liquid

Phillips Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

DRUG FACTS

Drug Facts

Active Ingredients	Purpose
Zinc acetate (.1% by volume)	Skin Protectant

Uses

Temporarily protects injured or exposed skin or mucous membrane surfaces from harmful or annoying stimuli and may help provide relief to such surfaces

Warnings

For external use only
Keep away from children
Avoid contact with eyes
May be harmful if swallowed or inhaled

Ask a doctor

If symptoms last for more than 7 days or clear up and recur within a few days.
If the conditions do not improve.
Before use on children under 2 years.
Before use if you are allergic to any ingredients listed on this label.

Directions

Apply to affected skin area and rub gently. Repeat the process as needed.

Other information

StaphWash Plus is an OTC skin protectant drug product for human use. Store at 40 to 120 degrees F. Net contents: 3 mL (dropper bottle). This product contains no alcohol; no animal products; no biological products.

Inactive ingredients

Water, color, glycerin, hydroxethylcellulose, chlor-hexidine gluconate, glucono delta lactone, methylparaben, sodium hydroxide, sodium dodecylbenzene sulfonate, ascorbic acid, magnesium stearate, silica and stearic acid.

Questions and Side effects

StaphWash Plus use results in no known side effects when used according to directions. Phillips Company, 311 Chickasaw Street, Millerton, OK USA 74750; Tel. 580-746-2430
Email address: PhillipsCompany@cox.net

ACTIVE INGREDIENTS

Active Ingredients	Purpose
Zinc acetate (.1% by volume)	Skin Protectant

ASK DOCTOR

Ask a doctor

If symptoms last for more than 7 days or clear up and recur within a few days.

If the conditions do not improve.

Before use on children under 2 years.

Before use if you are allergic to any ingredients listed on this label.

DO NOT USE

Warnings

For external use only

Keep away from children

Avoid contact with eyes

May be harmful if swallowed or inhaled

CHILDREN

Keep away from children

Avoid contact with eyes

May be harmful if swallowed or inhaled

PURPOSE

Active Ingredients	Purpose
Zinc acetate (.1% by volume)	Skin Protectant

STOP USE

If symptoms last for more than 7 days or clear up and recur within a few days.

If the conditions do not improve.

Before use on children under 2 years.

Before use if you are allergic to any ingredients listed on this label.

WHEN USING

For external use only

Avoid contact with eyes

May be harmful if swallowed or inhaled

If symptoms last for more than 7 days or clear up and recur within a few days.

If the conditions do not improve.

Store at 40 to 120 degrees F.

WARNINGS

Warnings

For external use only

Keep away from children

Avoid contact with eyes

May be harmful if swallowed or inhaled

StaphWash Plus use results in no known side effects when used according to directions.

Phillips Company, 311 Chickasaw Street, Millerton, OK USA 74750; Tel. 580-746-2430

Email address: PhillipsCompany@cox.net

DOSAGE & ADMINISTRATION

Uses

Temporarily protects injured or exposed skin or mucous membrane surfaces from harmful or annoying stimuli and may help provide relief to such surfaces

Directions

Apply to affected skin area and rub gently. Repeat the process as needed.

USE

Uses

Temporarily protects injured or exposed skin or mucous membrane surfaces from harmful or annoying stimuli and may help provide relief to such surfaces

Apply to affected skin area and rub gently. Repeat the process as needed.

INACTIVE INGREDIENTS

Inactive ingredients

Water, color, glycerin, hydroxethylcellulose, chlor-hexidine gluconate, glucono delta lactone, methylparaben, sodium hydroxide, sodium dodecylbenzene sulfonate, dimethyl sulfoxide, witch hazel, ascorbic acid, magnesium stearate, silica and stearic acid.

Image of product

Image of product



STAPHWASH PLUS

zinc acetate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43074-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
zinc acetate (UNII: FM5526K07A) (zinc - UNII:J41CSQ7QDS)	zinc	0.001 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
dipropylene glycol (UNII: E107L85C40)	
water (UNII: 059QF0K00R)	
glycerin (UNII: PDC6A3C0OX)	
chlorhexidine gluconate (UNII: MOR84MUD8E)	
calcium gluconate (UNII: SQE6VB453K)	
methylparaben (UNII: A218C7HI9T)	
sodium hydroxide (UNII: 55X04QC32I)	
sorbic acid (UNII: X045WJ989B)	
magnesium stearate (UNII: 70097M6I30)	
stearic acid (UNII: 4ELV7Z65AP)	
witch hazel (UNII: 10114J0U34)	
sodium dodecylbenzenesulfonate (UNII: 554127163Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43074-101-02	1 in 1 BOTTLE, PLASTIC		
1	NDC:43074-101-01	3 mL in 1 BOTTLE, DROPPER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	08/23/2010	

Labeler - Phillips Company (612368238)

Establishment

Name	Address	ID/FEI	Business Operations
Phillips Company		612368238	manufacture

Revised: 8/2010

Phillips Company