

ASPIRIN LOW DOSE- aspirin tablet, chewable
Walgreen Company

Walgreens 44-218A

Active ingredient (in each chewable tablet)

Aspirin 81 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- take a blood thinning (anticoagulant) or steroid drug
- are age 60 or older
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- have had stomach ulcers or bleeding problems
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you have asthma
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - vomit blood
 - have bloody or black stools
 - feel faint
 - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- drink a full glass of water with each dose
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, dextrans hydrated, FD&C yellow #6 aluminum lake, flavor, maltodextrin, sucralose

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 0363-0218-79

VALUE SIZE

Walgreens

WALGREENS
PHARMACIST RECOMMENDED †

Compare to the active ingredient in
Bayer® Chewable Low Dose Aspirin††

Aspirin 81

81 mg CHEWABLE TABLETS / PAIN RELIEVER (**NSAID**)

Chewable Low Dose

**HEART
HEALTH****

108
CHEWABLE
TABLETS

**(3 BOTTLES:
36 TABLETS
PER BOTTLE)**

ACTUAL SIZE

Orange flavor

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

**Talk to your doctor or other healthcare provider before using this product for your heart.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY: **WALGREEN CO.**
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com

©2021 Walgreen Co.

50844 ORG012221807

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Bayer® Chewable Low Dose Aspirin.

(10 mg CHEWABLE TABLETS / 100 mg CHEWABLE TABLETS)

Aspirin 81

Compare to the active ingredient in Bayer® Chewable Low Dose Aspirin®



Walgreens

VALUE SIZE

NCC 930-390-8120-79

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient (in each chewable tablet) Aspirin 81 mg (NSAID)
Pain reliever "nonsteroidal and inflammatory drug"

Uses For the temporary relief of minor aches and pains as recommended by your doctor

Warnings Bayer's aspirin: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, it changes its behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Drug Facts (continued)
Allergy alert: Aspirin may cause a severe allergic reaction, which may include:
■ hives ■ facial swelling ■ throat swelling
■ trouble breathing
■ stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:
■ take a blood thinning (anticoagulant) or other drug ■ are age 65 or older
■ take other drugs containing aspirin or nonsteroidal NSAIDs (aspirin, ibuprofen, naproxen, or others)
■ take or have taken drugs every day while using this product
■ have had stomach ulcers or bleeding problems
■ take more or for a longer time than directed
Do not use
■ if you are allergic to aspirin or any other pain reliever/fever reducer
■ for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor
■ if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if
■ stomach bleeding warning applies to you
■ you have a history of stomach problems, such as heartburn or kidney disease
■ you have asthma ■ you are taking a diuretic
Ask a doctor or pharmacist before use if you are taking a prescription drug for
■ gout ■ diabetes ■ uric acid
Drug use and ask a doctor if ■ an allergic reaction occurs. Seek medical help right away.
■ you experience any of the following signs of stomach bleeding: ■ vomit blood ■ have bloody or black stools ■ feel faint
■ have stomach pain that does not get better
■ ringing in the ears or a loss of hearing occurs
■ pain gets worse or lasts more than 10 days
■ heartburn or indigestion lasts more than 3 days
■ rashes or swelling is present
■ new symptoms occur
There could be signs of a serious condition.

Directions

Do not take more than directed
■ Drink a full glass of water with each dose
■ Chew or crush tablets completely before swallowing; do not swallow tablets whole
■ Adults and children 12 years and over: Take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor
■ Children under 12 years: do not use unless directed by a doctor

Other Information

Drug Facts (continued)
■ See end flap for expiration date and lot number
■ Store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)
Inactive ingredients corn starch, dextrose hydrate, FD&C yellow #6 aluminum lake, ferric maltoedate, sucrose
Questions or comments? 1-800-424-4331

Drug Facts (continued)

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
This product is not manufactured or distributed by Bayer AG, owner of the registered trademark Bayer® Chewable Low Dose Aspirin.
50844 ORG012221807



W30RG1221-F
REV0222

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
DISTRIBUTED BY WALGREENS CO.
200 MILWAUKEE BL, DEERFIELD, IL 60015
WALGREENS COMPANY
©2011 Walgreen Co.
ITEM# 5304912 W000000-00000-0
1 1917-09499 3
Mfg/Pharm/Wholesaler/Dispenser

B-2001-219A-078HR
ORG012221807



Walgreens 44-218A

ASPIRIN LOW DOSE

aspirin tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0218
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	8mm
Flavor	ORANGE	Imprint Code	44;218
Contains			

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0218-79	3 in 1 CARTON	09/12/1990	
1		36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0218-07	1 in 1 CARTON	09/12/1990	05/07/2020
2		36 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/12/1990	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-0218)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-0218)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(0363-0218)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-0218)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-0218)

Revised: 3/2024

Walgreen Company