

## **NASAL MIST WALGREENS- oxymetazoline hydrochloride 0.05% liquid**

### **Walgreens**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredient**

Oxymetazoline Hydrochloride 0.05%

#### **Purpose**

Nasal decongestant

### **Uses**

- for the temporary relief of nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- shrinks swollen membranes so you can breathe more freely

### **Warnings**

Do not use this product if you have heart disease • high blood pressure • thyroid disease  
• diabetes • or difficulty in urination due to enlargement of the prostate gland

### **When using this product**

- do not exceed recommended dosage • do not use for more than 3 days. Use only as directed. • may cause temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge • the use of this container by more than one person may spread infection • frequent or prolonged use may cause nasal congestion to recur or worsen

**Keep out of reach of children.** If product is swallowed, get medical help or contact a PoisonControl Center right away

### **Directions**

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times.

To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period • children under 6 years of age: consult a doctor

### **Inactive ingredients**

Benzalkonium Chloride  
Chlorhexidine Gluconate

Citric Acid  
Disodium EDTA  
Fragrance  
Purified Water  
Sodium Citrate  
Sodium Hydroxide  
Tyloxapol

*Walgreens*

# Sinus Relief Mist

*Walgreens*

Compare to Vicks®  
Sinex® active ingredient††

NDC 0363-7000-01

# Sinus Relief Mist

OXYMETAZOLINE HCl 0.05% /  
SINUS RELIEVER / NASAL DECONGESTANT

**SEVERE**

**12 HOUR**

**ULTRA-FINE SPRAY**

- Helps relieve congestion & sinus pressure

0.5 FL OZ (15 mL)



ACTUAL SIZE

**DO NOT USE IF PRINTED SEAL OVER  
CAP IS TORN OR MISSING**

## Drug Facts

**Active ingredient** Oxymetazoline hydrochloride 0.05%.....**Purpose** Nasal decongestant

**Uses** • for the temporary relief of nasal congestion due to: the common cold, hay fever or other upper respiratory allergies • shrinks swollen membranes so you can breathe more freely

## Warnings

### Do not use if you have

- heart disease • high blood pressure • thyroid disease
- diabetes • trouble urinating due to enlarged prostate gland unless directed by a doctor

### When using this product

- **do not exceed recommended dosage**
- do not use for more than 3 days. Use only as directed.
- may cause temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge
- the use of this container by more than one person may spread infection
- frequent or prolonged use may cause nasal congestion to recur or worsen

**Stop use and ask a doctor** if symptoms persist.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.

- adults and children 6 to under 12 years of age (with adult supervision): 1 or 2 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses within any 24-hour period
- children under 6 years of age: consult a doctor ▶

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

†† This product is not manufactured or distributed by Procter & Gamble, the distributor of Vicks® Sinex®.

## Drug Facts (continued)

### Other information

- Store between 15°-30° C (59°- 86° F)

### Inactive ingredients

Benzalkonium Chloride,  
Chlorhexidine Gluconate, Citric Acid,  
Disodium EDTA, Fragrance, Purified  
Water, Sodium Citrate, Sodium  
Hydroxide, Tyloxapol.

**IMPORTANT:  
KEEP OUTER CARTON  
FOR FUTURE REFERENCE  
ON FULL LABELING**

## Cap Removal Instructions:

To remove cap, squeeze cap at base on opposite sides on the two smooth impressions with fingers. While squeezing, twist cap counterclockwise to remove. Remove clip and press down to use. Refer to directions on top of cap.

To reapply cap, turn cap on pump clockwise until it locks.

Questions or comments?  
**1-866-483-2846**

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
**100% SATISFACTION GUARANTEED**  
walgreens.com ©2017 Walgreen Co.

## NASAL MIST WALGREENS

oxymetazoline hydrochloride 0.05% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-7000
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Oxymetazoline Hydrochloride</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	Oxymetazoline Hydrochloride	0.05 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>Benzalkonium Chloride</b> (UNII: F5UM2KM3W7)	
<b>Water</b> (UNII: 059QF0K00R)	
<b>Chlorhexidine Gluconate</b> (UNII: MOR84MUD8E)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>Sodium Citrate</b> (UNII: 1Q73Q2JULR)	
<b>Sodium Hydroxide</b> (UNII: 55X04QC32I)	
<b>Tyloxapol</b> (UNII: Y27PUL9H56)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7000-01	1 in 1 CARTON	07/01/2016	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/01/2016	

**Labeler** - Walgreens (008965063)**Registrant** - Product Quest Mfg, LLC (927768135)**Establishment**

Name	Address	ID/FEI	Business Operations
Product Quest Mfg, LLC		927768135	manufacture(0363-7000) , label(0363-7000)

Revised: 6/2018

Walgreens