

**OXYGEN- oxygen gas**  
**Joerns LLC**

-----  
**Oxygen**

**Oxygen**

**OXYGEN,**

**COMPRESSED USP**

**UN 1072**

**OXYGEN 2(R-K14) XXXXXX**

**C.A.S. 7782-44-7**

**Joerns®**

**19211 Chennault Way Suite C • Gaithersburg, MD 20879**

**800-528-1001**

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125° F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**Produced by Air Liquefaction.**

SIZE CONTENTS

\_\_\_ M6 170 Liters

\_\_\_ C 248 Liters

\_\_\_ D 415 Liters

SIZE CONTENTS

\_\_\_ E 682 Liters

\_\_\_ H 6910 Liters

\_\_\_ Other \_\_\_ Liters



# OXYGEN, COMPRESSED USP UN1072

C.A.S. NO. 7782-44-7



19211 Chennault Way Suite C ■ Gaithersburg, MD 20879

800-528-1001



⚠ **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. DO NOT REMOVE THIS PRODUCT LABEL.

⚠ **WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

**Produced by Air Liquefaction.**

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	_____ Liters

# OXYGEN

oxygen gas

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:81676-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:81676-001-01	170 L in 1 CYLINDER; Type 0: Not a Combination Product	03/08/2021	
2	NDC:81676-001-02	248 L in 1 CYLINDER; Type 0: Not a Combination Product	03/08/2021	
3	NDC:81676-001-03	415 L in 1 CYLINDER; Type 0: Not a Combination Product	03/08/2021	
4	NDC:81676-001-04	682 L in 1 CYLINDER; Type 0: Not a Combination Product	03/08/2021	
5	NDC:81676-001-05	6910 L in 1 CYLINDER; Type 0: Not a Combination Product	03/08/2021	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA206023	03/08/2021	

**Labeler -** Joerns LLC (097260594)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Joerns LLC		097260594	manufacture(81676-001)

Revised: 11/2023

Joerns LLC