

**IODINE TINCTURE MILD- iodine and sodium iodide and alcohol liquid**  
**Humco Holding Group, Inc.**

-----  
**Humco Iodine Ticture Mild, USP**

**Drug Facts**

**Active ingredient**

Iodine 2%

**Purpose**

First Aid Antiseptic

**Active ingredient**

Sodium Iodide 2.4%

**Purpose**

First Aid Antiseptic

**Active ingredient**

Alcohol 47%

**Purpose**

First Aid Antiseptic

**Indications**

First aid to help prevent infection in minor cuts, scrapes and burns

**Warnings**

**For external use only.**

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns
- Flammable: Keep away from sparks heat and flame

**Stop use and consult doctor if**

- the condition persists or gets worse, or if using for longer than one week

**When using this product**

- do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids
- do not apply over large areas of the body

**Keep out of reach of children.**

In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

**Directions**

- clean the affected area
- apply a small amount on the area 1 to 3 times daily
- may be covered with sterile bandage
- if bandaged let dry first

**Other information**


- will stain skin and clothing

**Inactive ingredient**

Purified Water

**Old Label**

| Drug Facts   |  |
|--|--|
| <b>Active ingredient</b><br>Iodine 2%, Sodium Iodide 2.4%,<br>Alcohol 47%.....   | <b>Purpose</b><br>First Aid Antiseptic |
| <b>Indications</b><br>First aid to help prevent infection in minor cuts, scrapes and burns   |  |
| <b>Warnings For external use only.</b><br>Ask a doctor before use if you have<br>■ deep or puncture wounds<br>■ animal bites ■ serious burns<br>■ Flammable: Keep away from sparks heat and flame                          |  |
| <b>Stop use and consult a doctor if</b><br>■ the condition persists or gets worse, or if using for longer than one week.   |  |
| <b>When using this product</b><br>■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids<br>■ do not apply over large areas of the body                         |  |
| Keep out of reach of children. In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately. |  |
| Continued ▶  |  |



| Drug Facts (continued)   |
|--|
| <b>Directions</b><br>■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first |
| <b>Other information</b><br>■ will stain skin and clothing   |
| <b>Inactive ingredient</b><br>Purified Water   |

REV.100308.RLG

HUMCO, Texarkana, TX 75501  
Questions or Comments? ☎1-800-662-3435  
"We Help People Feel Better"

✦ Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com)  
to find helpful hints, and learn more about Iodine Tincture Mild.

## New Label

| <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <td><b>Active ingredients</b><br/>Iodine 2%, Sodium Iodide 2.4%<br/>.....</td> <td><b>Purpose</b><br/>First Aid Antiseptic</td> </tr> <tr> <td colspan="2"><b>Indications</b> ■ First aid to help prevent infection in minor cuts, scrapes and burns</td> </tr> <tr> <td colspan="2"><b>Warnings</b> ■ For external use only<br/>Flammable: Keep away from spark, heat or flame</td> </tr> <tr> <td colspan="2">Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns</td> </tr> <tr> <td colspan="2"><b>Stop use and ask a doctor if</b> ■ the condition persists or gets worse, or if using for longer than one week.</td> </tr> <tr> <td colspan="2"><b>When using this product</b> ■ if contact occurs with eyes, flush with large amounts of water while lifting upper and lower lids</td> </tr> <tr> <td colspan="2" style="text-align: right;">Continued ▶</td> </tr> </table> | Drug Facts                             |  | <b>Active ingredients</b><br>Iodine 2%, Sodium Iodide 2.4%<br>..... | <b>Purpose</b><br>First Aid Antiseptic | <b>Indications</b> ■ First aid to help prevent infection in minor cuts, scrapes and burns |  | <b>Warnings</b> ■ For external use only<br>Flammable: Keep away from spark, heat or flame |  | Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns |  | <b>Stop use and ask a doctor if</b> ■ the condition persists or gets worse, or if using for longer than one week. |  | <b>When using this product</b> ■ if contact occurs with eyes, flush with large amounts of water while lifting upper and lower lids |  | Continued ▶ |  | <p style="font-size: 2em; font-weight: bold; color: red;">IODINE TINCTURE</p> <p style="font-size: 1.5em; font-weight: bold; color: red;">MILD 2%</p> <p style="font-size: 1.5em; font-weight: bold; color: red;">ALCOHOL 47%</p> <div style="border: 1px solid black; border-radius: 50%; width: 40px; height: 40px; margin: 0 auto; display: flex; align-items: center; justify-content: center; font-weight: bold; font-size: 1.2em;">HUMCO</div> <p style="font-size: 0.8em;">A trusted name in home health care</p> | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>(Drug facts continued)</th> </tr> <tr> <td>Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.</td> </tr> <tr> <td><b>Directions</b> ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.</td> </tr> <tr> <td><b>Other information</b> ■ will stain skin or clothing</td> </tr> <tr> <td><b>Inactive ingredients</b> ■ Alcohol 47%, Purified Water</td> </tr> <tr> <td>Questions or Comments? ☎1-800-662-3435</td> </tr> <tr> <td>HUMCO, Texarkana, TX 75501</td> </tr> </table> | (Drug facts continued) | Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately. | <b>Directions</b> ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first. | <b>Other information</b> ■ will stain skin or clothing | <b>Inactive ingredients</b> ■ Alcohol 47%, Purified Water | Questions or Comments? ☎1-800-662-3435 | HUMCO, Texarkana, TX 75501 |
|---|--|--|---|--|---|--|---|--|--|--|---|--|--|--|-------------|--|--|--|------------------------|---|--|--|---|--|----------------------------|
| Drug Facts  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>Active ingredients</b><br>Iodine 2%, Sodium Iodide 2.4%<br>.....   | <b>Purpose</b><br>First Aid Antiseptic |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>Indications</b> ■ First aid to help prevent infection in minor cuts, scrapes and burns   |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>Warnings</b> ■ For external use only<br>Flammable: Keep away from spark, heat or flame   |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>Stop use and ask a doctor if</b> ■ the condition persists or gets worse, or if using for longer than one week.   |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>When using this product</b> ■ if contact occurs with eyes, flush with large amounts of water while lifting upper and lower lids  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| Continued ▶   |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| (Drug facts continued)  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.   |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>Directions</b> ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>Other information</b> ■ will stain skin or clothing  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| <b>Inactive ingredients</b> ■ Alcohol 47%, Purified Water   |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| Questions or Comments? ☎1-800-662-3435  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |
| HUMCO, Texarkana, TX 75501  |  |  |   |  |   |  |   |  |  |  |   |  |  |  |             |  |  |  |                        |   |  |  |   |  |                            |

R101017

| IODINE TINCTURE MILD                        |                |                           |               |
|---|----------------|---------------------------|---------------|
| iodine and sodium iodide and alcohol liquid |                |                           |               |
| Product Information                         |                |                           |               |
| <b>Product Type</b>                         | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0395-1213 |
| <b>Route of Administration</b>              | TOPICAL        |                           |               |
| Active Ingredient/Active Moiety             |                |                           |               |

| Ingredient Name  | Basis of Strength | Strength        |
|--|-------------------|-----------------|
| <b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)            | IODINE            | 20 mg in 1 mL   |
| <b>SODIUM IODIDE</b> (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q) | IODIDE ION        | 20.4 mg in 1 mL |
| <b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)          | ALCOHOL           | 470 mg in 1 mL  |

### Inactive Ingredients

| Ingredient Name                 | Strength |
|---------------------------------|----------|
| <b>WATER</b> (UNII: 059QF0KO0R) |          |

### Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0395-1213-16 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product  | 11/14/2017           |                    |
| 2 | NDC:0395-1213-91 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product   | 11/14/2017           |                    |
| 3 | NDC:0395-1213-55 | 208000 mL in 1 DRUM; Type 0: Not a Combination Product | 02/21/2014           | 12/19/2020         |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003                                     | 01/01/1979           |                    |

**Labeler** - Humco Holding Group, Inc. (825672884)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

| Name              | Address | ID/FEI    | Business Operations   |
|-------------------|---------|-----------|---|
| Pharma Nobis, LLC |         | 118564114 | manufacture(0395-1213) , analysis(0395-1213) , pack(0395-1213) , label(0395-1213) |

Revised: 12/2023

Humco Holding Group, Inc.