

**MAXIMUM STRENGTH FIRST AID ANTI-ITCH RITE AID- diphenhydramine hci 2.00% zinc acetate 0.10% spray**

**Rite Aid**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients**

Diphenhydramine HCl 2.0%

Zinc Acetate 0.10%

**Purpose**

Topical analgesic

Skin protectant

**Uses**

Temporarily relieves pain and itching associated with:

- insect bites
- minor burns
- sunburn
- minor cuts
- scrapes
- minor skin irritations
- rashes due to poison ivy, oak and sumac
- dries the oozing and weeping of poison ivy, oak and sumac

**Warnings**

**For external use only.**

**Flammable** - Do not use while smoking or near heat or flame ☐☐☐

**Do not use**

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth
- on chicken pox

**Stop use and ask a doctor if**

- condition worsens
- symptoms last more than 7 days
- symptoms clear up and occur again in a few days

**When using this product**

keep out of eyes

use only as directed.

do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120F

### Keep out of reach of children.

If swallowed, get help or contact a Poison Control Center right away.

### Directions

- shake well
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- to apply to face, spray into palm of hand and gently apply

### Inactive ingredients

Alcohol Denat.

Glycerin

PVP

Tromethamine

Water

**RITE AID**  
PHARMACY

\*Compare to the active ingredients in Benadryl® Extra Strength Anti-Itch Spray

**maximum strength first aid anti-itch spray**

diphenhydramine HCl 2.0%  
zinc acetate 0.10%

topical analgesic & skin protectant

FOR EXTERNAL USE ONLY

relieves itching & pain due to insect bites & rashes associated with poison ivy, oak & sumac

continuous spray at any angle

NET WT. 3 OZ (85 g)

**Drug Facts**

Active ingredients	Purpose
Diphenhydramine HCl 2.0%.....	Topical analgesic
Zinc Acetate 0.10%.....	Skin protectant

**Uses** Temporarily relieves pain and itching associated with:  
• insect bites • minor burns • sunburn • minor cuts • scrapes  
• minor skin irritations • rashes due to poison ivy, oak and sumac  
• dries the oozing and weeping of poison ivy, oak and sumac

**Warnings**  
For external use only.  
**Flammable** - Do not use while smoking or near heat or flame.

**Do not use**  
• on chicken pox  
• on large areas of the body.  
• with any other product containing diphenhydramine, even one taken by mouth.

**When using this product**  
• keep out of eyes.  
• use only as directed.  
• do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask doctor if** • condition worsens  
• symptoms last more than 7 days  
• symptoms clear up and occur again in a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center.

**Directions**  
• shake well • adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • children under 2 years of age: ask a doctor • to apply to face, spray into palm of hand and gently apply

**Inactive ingredients**  
Alcohol Denat., Glycerin, PVP, Tromethamine, Water.

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner and distributor of the Benadryl trademark.

DISTRIBUTED BY: RITE AID  
30 HUNTER LANE, CAMP HILL, PA 17011

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

ITEM 0370231

0 11822 37023 1 3

# MAXIMUM STRENGTH FIRST AID ANTI-ITCH RITE AID

diphenhydramine hci 2.00% zinc acetate 0.10% spray

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1228
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	2.0 g in 100 g
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	.10 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0K00R)	
TROMETHAMINE (UNII: 023C2WHX2V)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1228-3	85 g in 1 CAN; Type 0: Not a Combination Product	07/26/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/26/2017	

**Labeler** - Rite Aid (014578892)

**Registrant** - Product Quest Mfg, LLC (927768135)

## Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg, LLC		927768135	manufacture(11822-1228) , label(11822-1228)