

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment  
Fred's, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Triple Antibiotic**

***Drug Facts***

<b><i>Active ingredients (in each gram)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

**Uses**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Other information**

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, vitamin E, white petrolatum

**Questions?**

Call 1-866-923-4914

**DISTRIBUTED BY: fred's, Inc.**  
**4300 NEW GETWELL RD,**  
**MEMPHIS, TN 38118**

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

fred's  
Pharmacy

NDC 55315-180-56

Compare to the  
Active Ingredients in  
Neosporin®\*

TRIPLE ANTIBIOTIC  
OINTMENT

ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.  
NET WT 1 oz (28.4g)



NDC 55315-180-56

Compare to the Active Ingredients in Neosporin<sup>®</sup>

# TRIPLE ANTIBIOTIC OINTMENT ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns. NET WT 1 oz (28.4g)



# TRIPLE ANTIBIOTIC OINTMENT ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

# TRIPLE ANTIBIOTIC OINTMENT ORIGINAL STRENGTH

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns. NET WT 1 oz (28.4g)

LPK-8887-0  
1118-0  
55

T51  
B50,3  
ENG19,13

**100% satisfaction guaranteed**  
Questions or comments:  
1-855-331-FRED (3733)



NO VARNISH/NO AQ  
NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT

www.fredsmc.com  
MEMPHIS, TN 38118  
4300 NEW GETWELL RD.  
DISTRIBUTED BY: fred's, Inc.

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin<sup>®</sup>

Made in Canada

<p><b>Drug Facts</b> (continued)</p> <p><b>Active ingredients (in each gram) Purpose</b> Bacitracin zinc USP 400 units.....First aid antibiotic Neomycin sulfate USP 3.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic</p> <p><b>Uses</b> first aid to help prevent infection in minor: cuts • scrapes • burns</p> <p><b>Warnings</b> For external use only. Do not use • if you are allergic to any of the ingredients • in the eyes • over large areas of the body</p> <p><b>Ask a doctor before use if you have</b> • deep or puncture wounds • animal bites • serious burns</p> <p><b>Stop use and ask a doctor if</b> • you need to use longer than 1 week • condition persists or gets worse • rash or other allergic reaction develops</p> <p><b>Other information</b> • To open: unscrew cap, pull tab to remove foil seal • store at 20° to 25°C (68° to 77°F) • see carton or tube crimp for lot number and expiration date</p> <p><b>Inactive ingredients</b> vitamin E, white petrolatum coconut butter, cottonseed oil, olive oil, sodium pyruvate.</p> <p><b>Questions? Call 1-866-923-4914</b></p>	<p><b>Directions</b> • clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>
--	--

FIRST AID ANTIBIOTIC OINTMENT  
ORIGINAL STRENGTH

TRIPLE ANTIBIOTIC OINTMENT  
Bacitracin Zinc USP • Neomycin Sulfate USP  
Polymyxin B Sulfate USP

TRIPLE ANTIBIOTIC OINTMENT ORIGINAL STRENGTH  
Bacitracin Zinc USP • Neomycin Sulfate USP  
Polymyxin B Sulfate USP  
FIRST AID ANTIBIOTIC OINTMENT

## TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55315-180
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Bacitracin Zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [iU] in 1 g
<b>Neomycin Sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin Sulfate	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>cocoa butter</b> (UNII: 512OYT1CRR)	
<b>cottonseed oil</b> (UNII: H3E878020N)	
<b>olive oil</b> (UNII: 6UYK2W1W1E)	
<b>sodium pyruvate</b> (UNII: POD38AIF08)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-180-56	1 in 1 CARTON	11/15/2018	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	11/15/2018	

**Labeler** - Fred's, Inc. (005866116)