

GLUCOREG- ascorbicum acidum, pyridoxinum hydrochloricum, riboflavinum, sarcolacticum acidum, thiaminum hydrochloricum, dhea (dehydroepiandrosterone), phloridzinum, adenosinum triphosphoricum dinatrium, alpha-lipoicum acidum, citricum acidum, fumaricum acidum, glyoxal trimer dihydrate, nadidum, pantothenic acid, acetaldehyde, insulinum (suis), hepar suis, pancreas suis, glucagon, baryta oxalica, alloxanum, berberis vulgaris, carcinosin, lycopodium clavatum, momordica balsamina, phosphoricum acidum, phosphorus liquid
Deseret Biologicals, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

Ascorbic Acid 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Sarcolacticum Acidum 6X, Thiaminum Hydrochloricum 6X, DHEA (Dehydroepiandrosterone) 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Phloridzinum 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Adenosinum Triphosphoricum Dinatrium 8X, alpha-Lipoicum Acidum 8X, Citricum Acidum 8X, Fumaricum Acidum 8X, Glyoxal Trimer Dihydrate 8X, Nadidum 8X, Pantothenic Acid 8X, Acetaldehyde 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Insulinum (Suis) 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Hepar Suis 10X, Pancreas Suis 10X, Glucagon 12X, 30X, 200X, 12C, 30C, 60C, 200C, Baryta Oxalica 6C, Alloxanum 6C, 30C, Berberis Vulgaris 6C, 30C, Carcinosin 6C, 30C, Lycopodium Clavatum 6C, 30C, Momordica Balsamina 6C, 30C, Phosphoricum Acidum 6C, 30C, Phosphorus 6C, 30C, Syzygium Jambolanum 6C, 30C, Gaertner Bacillus (Bach) 30C, Gymnema Sylvestre 30C, Trigonella Foenum-Graecum 30C.

HOMEOPATHIC INDICATIONS:

For temporary relief of symptoms related to high blood sugar including dry mouth, thirst, night sweats, sugar and carb cravings. **

**These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

WARNINGS:

Keep out of reach of children. In case of overdose, contact physician or a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, contact physician or a Poison Control Center right away.

DIRECTIONS:

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

HOMEOPATHIC INDICATIONS:

For temporary relief of symptoms related to high blood sugar including dry mouth, thirst, night sweats, sugar and carb cravings.**

**These statements are based upon traditional homeopathic principles. They have not been reviewed by the Food and Drug Administration.

INACTIVE INGREDIENTS:

Demineralized Water, 25% Ethanol

QUESTIONS:

Dist. By: Deseret Biologicals, Inc.
469 W. Parkland Drive
Sandy, UT 84070 www.desbio.com

PACKAGE LABEL DISPLAY:

DESBIO
NDC 43742-1291-1
HOMEOPATHIC
GLUCOREG
1 FL OZ (30 ml)

WARNINGS:

Keep out of reach of children. In case of overdose, contact a physician or Poison Control Center right away. **If pregnant or breast-feeding**, ask a health professional before use. Tamper seal: "Sealed for Your Protection." Do not use if seal is broken or missing.

DIRECTIONS:

1-10 drops under the tongue, 3 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

HOMEOPATHIC INDICATIONS:

For temporary relief of symptoms related to high blood sugar including dry mouth, thirst, night sweats, sugar and carb cravings.**

Dist. By: Deseret Biologicals, Inc.
469 W. Parkland Drive
Sandy, UT 84070 www.desbio.com



ACTIVE INGREDIENTS:

Ascorbic Ac 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Sarcosylacticum Ac 6X, Thiaminum Hydrochloricum 6X, DHEA 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Phloridzinum 6X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, alpha-Lipoic Ac 8X, ATP 8X, Citricum Ac 8X, Fumaricum Ac 8X, Glyoxal Trimer Dihydrate 8X, Nadidum 8X, Pantothenic Acid 8X, Acetaldehyde 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Insulinum 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Hepar Suis 10X, Pancreas 10X, Glucagon 12X, 30X, 200X, 12C, 30C, 60C, 200C, Baryta Oxalica 6C, Alloxanum 6C, 30C, Berber Vulg 6C, 30C, Carcinosin 6C, 30C, Lycopodium 6C, 30C, Momordica 6C, 30C, Phos 6C, 30C, Phosphoricum Ac 6C, 30C, Syzygium 6C, 30C, Gaertner Bacillus 30C, Gymnema Sylvestre 30C, Trigonella Foenum-Graecum 30C.

**These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

LOT:

GLUCOREG

ascorbicum acidum, pyridoxinum hydrochloricum, riboflavinum, sarcosylacticum acidum, thiaminum hydrochloricum, dhea (dehydroepiandrosterone), phloridzinum, adenosinum triphosphoricum dinatrum, alpha-lipoicum acidum, citricum acidum, fumaricum acidum, glyoxal trimer dihydrate, nadidum, pantothenic acid, acetaldehyde, insulinum (suis), hepar suis, pancreas suis, glucagon, baryta oxalica, alloxanum, berberis vulgaris, carcinosin, lycopodium clavatum, momordica balsamina, phosphoricum acidum, phosphorus liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43742-129 1
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
	PYRIDOXINE HYDROCHLORIDE (UNII: 68 Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1B16Z)	PYRIDOXINE	6 [hp_X] in 1 mL
	RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X] in 1 mL
	LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	6 [hp_X] in 1 mL
	THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	6 [hp_X] in 1 mL
	PRASTERONE (UNII: 459AG36T1B) (PRASTERONE - UNII:459AG36T1B)	PRASTERONE	6 [hp_X] in 1 mL
	PHLORIZIN (UNII: CU9S17279X) (PHLORIZIN - UNII:CU9S17279X)	PHLORIZIN	6 [hp_X] in 1 mL
	ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	8 [hp_X] in 1 mL
	THIOCTIC ACID (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	THIOCTIC ACID	8 [hp_X] in 1 mL
	CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X] in 1 mL
	FUMARIC ACID (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
	GLYOXAL TRIMER DIHYDRATE (UNII: R6GJS0F9NZ) (GLYOXAL - UNII:50NP6JJ975)	GLYOXAL TRIMER DIHYDRATE	8 [hp_X] in 1 mL
	NADIDE (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	8 [hp_X] in 1 mL
	PANTOTHENIC ACID (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	8 [hp_X] in 1 mL
	ACETALDEHYDE (UNII: GO1N1ZPR3B) (ACETALDEHYDE - UNII:GO1N1ZPR3B)	ACETALDEHYDE	8 [hp_X] in 1 mL
	INSULIN PORK (UNII: AVT680JB39) (INSULIN PORK - UNII:AVT680JB39)	INSULIN PORK	8 [hp_X] in 1 mL
	PORK LIVER (UNII: 6EC706HI7F) (PORK LIVER - UNII:6EC706HI7F)	PORK LIVER	10 [hp_X] in 1 mL
	SUS SCROFA PANCREAS (UNII: 9Y3J3362RY) (SUS SCROFA PANCREAS - UNII:9Y3J3362RY)	SUS SCROFA PANCREAS	10 [hp_X] in 1 mL
	GLUCAGON (UNII: 76LA80IG2G) (GLUCAGON - UNII:76LA80IG2G)	GLUCAGON	12 [hp_X] in 1 mL
	BARIUM OXALATE (UNII: 54R8VVF8ZK) (BARIUM CATION - UNII:V645272HLN)	BARIUM OXALATE	6 [hp_C] in 1 mL
	ALLOXAN (UNII: 6SW5YHA5NG) (ALLOXAN - UNII:6SW5YHA5NG)	ALLOXAN	6 [hp_C] in 1 mL
	BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	6 [hp_C] in 1 mL
	HUMAN BREAST TUMOR CELL (UNII: C620O07VD9K) (HUMAN BREAST TUMOR CELL - UNII:C620O07VD9K)	HUMAN BREAST TUMOR CELL	6 [hp_C] in 1 mL
	LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	6 [hp_C] in 1 mL
	MOMORDICA BALSAMINA IMMATURE FRUIT (UNII: WUW1665V10) (MOMORDICA BALSAMINA IMMATURE FRUIT - UNII:WUW1665V10)	MOMORDICA BALSAMINA IMMATURE FRUIT	6 [hp_C] in 1 mL
	PHOSPHORIC ACID (UNII: F4CA8884NN) (PHOSPHORIC ACID - UNII:F4CA8884NN)	PHOSPHORIC ACID	6 [hp_C]

PHOSPHORIC ACID (UNII: E4GA8884N1) (PHOSPHORIC ACID - UNII:E4GA8884N1)	PHOSPHORIC ACID	in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_C] in 1 mL
SYZYGIUM CUMINI SEED (UNII: 820LSF646I) (SYZYGIUM CUMINI SEED - UNII:820LSF646I)	SYZYGIUM CUMINI SEED	6 [hp_C] in 1 mL
SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA ENTERICA SEROVAR ENTERITIDIS - UNII:Y3V16D4PV4)	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS	30 [hp_C] in 1 mL
GYMNEMA SYLVESTRE LEAF (UNII: 2ZK6ZS8392) (GYMNEMA SYLVESTRE LEAF - UNII:2ZK6ZS8392)	GYMNEMA SYLVESTRE LEAF	30 [hp_C] in 1 mL
TRIGONELLA FOENUM-GRAECUM WHOLE (UNII: 5610HF69OB) (TRIGONELLA FOENUM-GRAECUM WHOLE - UNII:5610HF69OB)	TRIGONELLA FOENUM-GRAECUM WHOLE	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-1291-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	11/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/01/2018	

Labeler - Deseret Biologicals, Inc. (940741853)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-1291) , api manufacture(43742-1291) , label(43742-1291) , pack(43742-1291)

Revised: 11/2018

Deseret Biologicals, Inc.