## HIBICLENS- chlorhexidine gluconate solution Molnlycke Health Care

-----

### Hibiclens, 4% CHG

Chlorhexidine gluconate solution 4.0% w/v

**Antiseptic** 

#### Uses

- antimicrobial skin cleanser helps to reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare peronnel handwash

For external use only

### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

## When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

## Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash. Wet hand with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.


#### Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

### **Questions?**

1-800-843-8497





**Chlorhexidine Gluconate** Solution 4% w/v

ANTISEPTIC SKIN CLEANSER







**GREAT FOR** HAND HYGIENE GENERAL SKIN CLEANSING

Helps reduce bacteria that potentially can cause disease



8 fl oz (236 mL)

#### **Drug Facts**

Active ingredient Chlorhexidine gluconate solution 4% w/v....

Purpose

- Uses
  antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease for skin wound and general skin cleansing surgical hand scrub healthcare personnel handwash

### Warnings

#### For external use only

- Allergy aler:

  This product may cause a severe allergic reaction. Symptoms may include:

   wheezing/difficulty breathing shock

   facial swelling hives rash I fan allergic reaction occurs, stop use and seek medical help right away.

- Do not use

  if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product

  in contact with the meninges

  in the genital area

#### When using this product

keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums

### Drug Facts (continued)

- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

#### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- aski wound and general skin leansing.

  Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- was rigerity. An ise amoughly.

  Surgical hand scrub.

  Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.
   Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a

#### Drug Facts (continued)

vigorous manner for 15 seconds. Rinse and dry thoroughly.

#### Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)


Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

#### Questions? 1-800-843-8497


Lot number and expiration date printed on bottom of cont Laundering/Cleaning instructions. Chlorhexidine glucona cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine de


80% TRUNCATED FP0 UPC **7332551065706** 











## **HIBICLENS**

chlorhexidine gluconate solution

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0234-0575

Route of Administration TOPICAL

# Active Ingredient/Active Moiety

Ingredient Name

CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)

Basis of Strength

CHLORHEXIDINE - CHLORHEXIDINE - GLUCONATE

4 g in 100 mL

Inactive Ingredients				
Ingredient Name	Strength			
POLOXAMER 237 (UNII: JT3U72U71K)				
GLUCONOLACTONE (UNII: WQ29KQ9POT)				
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
WATER (UNII: 059QF0KO0R)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				

Product Characteristics				
Color	red	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:0234- 0575-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976				
2	NDC:0234- 0575-08	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976				
3	NDC:0234- 0575-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976				
4	NDC:0234- 0575-32	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976				
5	NDC:0234- 0575-91	3790 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA017768	09/17/1976		

# Labeler - Molnlycke Health Care (165301032)

Revised: 2/2024 Molnlycke Health Care