

HIBICLENS- chlorhexidine gluconate solution

Molnlycke Health Care

Hibiclens, 4% CHG

Chlorhexidine gluconate solution 4.0% w/v

Antiseptic

Uses

- antimicrobial skin cleanser helps to reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing*. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub*. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash*. Wet hand with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.



Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions?

1-800-843-8497

	Drug Facts Active ingredient Chlorhexidine gluconate solution 4% w/v.....Antiseptic Purpose Uses ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash Warnings For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away. Do not use ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area	Drug Facts (continued) When using this product ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums ■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.	Drug Facts (continued) ■ <i>skin wound and general skin cleansing</i> . Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ <i>surgical hand scrub</i> . Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ <i>healthcare personnel handwash</i> . Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. Other information ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40 Questions? 1-800-843-8497	<small>Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.</small> <small>The Mölnlycke Health Care, Hib, HibClen, and HibStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved. 5200776-00-1</small> 
---	--	---	---	---

NDC 0234-0575-08

HIBICLENS®Chlorhexidine Gluconate
Solution 4% w/v**ANTISEPTIC
SKIN CLEANSER**PERSISTENT
EFFECTGREAT FOR
HAND HYGIENEGENERAL SKIN
CLEANSING

Helps reduce bacteria that potentially can cause disease

Mölnlycke

8 fl oz (236 mL)

Drug Facts**Active ingredient**Chlorhexidine gluconate
solution 4% w/v..... Antiseptic**Purpose****Uses**

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings**For external use only****Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums

Drug Facts (continued)

- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

skin wound and general skin cleansing.

Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.

surgical hand scrub.

Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.

healthcare personnel handwash.

Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a

Drug Facts (continued)

vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)


Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents. 6200620-00-1

The Mölnlycke Health Care, Hibiclens, and Hibiclenz names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, 10000 North Central Expressway, Suite 200, Dallas, TX 75243. ©2022 Mölnlycke Health Care AB. All rights reserved. For more information go to: www.hibiclens.com





NDC 0234-0575-16

HIBICLENS[®]

**Chlorhexidine Gluconate
Solution 4% w/v
ANTISEPTIC
SKIN CLEANSER**

PERSISTENT
EFFECT

GREAT FOR
HAND HYGIENE

GENERAL SKIN
CLEANSING

Helps reduce bacteria that potentially can cause disease

16 fl oz (473 mL)

Drug Facts	Purpose
Active ingredient Chlorhexidine gluconate solution 4% w/v	Purpose Antiseptic
Uses ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash	
Warnings For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away.	
Do not use ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product in contact with the meninges ■ in the genital area	
When using this product ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause	

Drug Facts (continued)
■ deafness when instilled in the middle ear through perforated eardrums. ■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ healthcare personnel handwash. Wet hands with water. Dispense about 5mL (4 pumps) of the product into cupped hands

Drug Facts (continued)
and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. Other information ■ store between 20°-25°C (68°-77°F) ■ avoid excessive heat above 40°C (104°F) Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40 Questions? 1-800-843-8497

Mölnlycke
 Lot number and expiration date printed on bottom of container.
 Laundering/Cleaning Instructions
 Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibu, Hibuclens, and Hibuclens logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.
 For more information go to: www.hibiclen.com
 5200773-00-1

FPO UPC

7332551065713

0 00000 00000 0



NDC 0234-0575-32

HIBICLENS®

Chlorhexidine Gluconate
Solution 4% w/v

ANTISEPTIC
SKIN CLEANSER

PROBANT
EFFECT

GREAT FOR
HAND HYGIENE

VERSAL-USE
CLEANSING

Includes Foam Dispenser

ONE 10 fl oz (303 mL) BOTTLE

Drug Facts

Active ingredient
Chlorhexidine Gluconate

Purpose
Antibiotic

Uses

- antiseptic skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings
For external use only

Warnings
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- rash
- facial swelling
- dizziness
- itching

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the membranes
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause irritation and permanent eye injury if permitted to enter and remain in the eye or may cause blindness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- washing which involves more than the superficial layers of the skin should not be routinely needed
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Drug Facts (continued)

Stop use and ask a doctor if irritation, redness, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing: thoroughly rub the area to be cleaned with water. Apply the minimum amount of the product necessary to cover the skin or wound and allow to wash gently, rinse thoroughly.
- surgical hand scrub: wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash: wet hands with water. Dispense about 5 mL of the product into spread hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
fragrance, glycerin, polyethylene glycol, purified water and red 40

Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.


The Mölnlycke Health Care, Hibi, HibiCare, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Pleasanton, California, Georgia 30082 ©2022 Mölnlycke Health Care AS. All rights reserved.

For more information go to:
www.hibiclens.com
www.molnlycke.com

S200960-00-1

FPO UPC
7332651066775

0 00000 000000 0



HIBICLENS

chlorhexidine gluconate solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0234-0575
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII: R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	4 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
POLOXAMER 237 (UNII: JT3U72U71K)			
GLUCONOLACTONE (UNII: WQ29KQ9POT)			
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)			
ISOPROPYL ALCOHOL (UNII: ND2M416302)			
WATER (UNII: 059QF0KO0R)			
FD&C RED NO. 40 (UNII: WZ B9127XOA)			
Product Characteristics			
Color	red	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0234-0575-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976	
2	NDC:0234-0575-08	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976	
3	NDC:0234-0575-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976	
4	NDC:0234-0575-32	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976	
5	NDC:0234-0575-91	3790 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/17/1976	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA017768	09/17/1976	

Labeler - Molnlycke Health Care (165301032)

Revised: 12/2024

Molnlycke Health Care