

POVIDONE IODINE TOPICAL SOLUTION PAINT- povidone iodine 10% liquid
Jianerkang Medical Co., Ltd

Povidone Iodine Topical Solution Paint

Drug Facts

Active Ingredient

Povidone-Iodine, USP 10%
(1.0% available iodine)

Purpose

Antiseptic

Use

prepping intact skin and mucous membranes prior to surgery

Warnings

for external use only

avoid use on persons allergic to iodine

Stop using this product and ask a doctor if

- skin shows symptoms of irritation, sensitivity, redness, pain or swelling

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away

Directions

Patient preoperative prep

- apply solution to operative site following povidone iodine scrub application
- using a circular motion, start at incision site and move outward
- remove all soiled underdrapes
- **do not allow solution to pool**

Other information


- store at room temperature

- avoid excessive heat (above 104 degrees F/40 degrees C)
- protect from freezing
- latex free

Inactive Ingredients

Citric acid, glycerol, nonylphenol ethoxylate, Purified Water, sodium hydroxide

Package Labeling



Antiseptic

Povidone-Iodine, USP 10%
Topical Solution

For preparation of skin and mucous membranes prior to surgery.

Helps reduce bacteria that may cause skin infection.

Net Contents: 3 fl.oz (88.5ml)

Manufactured by:
Jiangsu Province JianErKang Medical Dressing Co.,Ltd
Zhixi Town Jintan City Jiangsu Province China
Made in China

Lot: 150120
Exp: 01/17

Drug Facts	
<i>Active ingredient</i>	<i>Purpose</i>
Povidone-Iodine, USP 10% (1.0% available iodine)	Antiseptic
<i>Uses</i>	
<ul style="list-style-type: none"> ■ Prepping intact skin and mucous membranes prior to surgery 	
<i>Warnings</i>	
<ul style="list-style-type: none"> ■ for external use only ■ avoid use on persons allergic to iodine 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ■ skin shows symptoms of irritation, sensitivity, redness, pain or swelling 	
Keep out of reach of children	
<ul style="list-style-type: none"> ■ if swallowed, get medical help or contact a Poison Control Center right away 	
<i>Directions</i> Patient preoperative prep	
<ul style="list-style-type: none"> ■ use full strength ■ apply solution to operative site following povidone iodine scrub application ■ using a circular motion, start at incision site and move outward ■ remove all soiled underdrapes ■ do not allow solution to pool 	
<i>Other information</i>	
<ul style="list-style-type: none"> ■ store at room temperature ■ avoid excessive heat (above 104°F/40°C) ■ protect from freezing ■ latex free 	
<i>Inactive ingredients</i>	
<ul style="list-style-type: none"> ■ Citric acid, glycerol, nonylphenol ethoxylate, purified water, sodium hydroxide 	

POVIDONE IODINE TOPICAL SOLUTION PAINT

povidone iodine 10% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:34645-1041
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID ACETATE (UNII: DSO12WL7AU)	
GLYCERIN (UNII: PDC6A3C0OX)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34645-1041-1	88.5 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/31/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/31/2015	

Labeler - Jianerkang Medical Co., Ltd (530968767)

Establishment

Name	Address	ID/FEI	Business Operations
Jianerkang Medical Co., Ltd		530968767	manufacture(34645-1041)

Revised: 10/2023

Jianerkang Medical Co., Ltd