

C-M-P-K- c-m-p-k injection, solution
VetTek

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

C-M-P-K Injection

KEEP OUT OF REACH OF CHILDREN

INDICATIONS:

For use as an aid in the treatment of hypocalcemia (parturient paresis, milk fever), hypomagnesemia (grass tetany), and other conditions associated with calcium, magnesium, phosphorus and potassium deficiencies in cattle.

CONTRAINDICATIONS:

Do not administer this product to animals showing signs of cardiac distress.

PRECAUTIONS:

Administration should be made slowly and with care to avoid adverse effects such as heart block or shock. Perivascular or subcutaneous deposition of hypertonic solutions may result in severe inflammation at the injection site.

CAUTION:

This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

DOSAGE AND ADMINISTRATION:

Warm solution to body temperature. The usual intravenous dose in cattle is 500 mL per 800 to 1,000 pounds of body weight.

Store between 15°C and 30°C (59°F and 86°F)

FOR ANIMAL USE ONLY

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

COMPOSITION:

Each 500 mL of sterile aqueous solution contains:

- Calcium.....10.8 g
(as calcium borogluconate, equivalent to calcium gluconate 23.2%)
- Potassium.....8.0 g
(as potassium chloride)
- Phosphorus.....2.5 g
(as sodium hypophosphite • H₂O)
- Magnesium.....1.6 g

(as magnesium borogluconate)
 Dextrose •H₂O.....75.0 g
 Milliequivalents per liter

Cations

Calcium.....1,080 mEq/L
 Potassium.....410 mEq/L
 Magnesium.....261 mEq/L
 Sodium.....161 mEq/L

Anions

Borogluconate.....1,341 mEq/L
 Chloride.....410 mEq/L
 Hypophosphite.....161 mEq/L

Manufactured for
 VetTek
 Blue Springs, MO 64014

REV 06-19

NDC 60270-128-17

C-M-P-K Injection

CALCIUM-MAGNESIUM-PHOSPHORUS-POTASSIUM-DEXTROSE SOLUTION

Dura-Ster TS

TERMINALLY STERILIZED

Net Contents: 500 mL (16.9 fl. oz.)

COMPOSITION:

Each 500 mL of sterile aqueous solution contains:
 Calcium10.8 g
 (as calcium borogluconate, equivalent to calcium gluconate 23.2%)
 Potassium 8.0 g
 (as potassium chloride)
 Phosphorus 2.5 g
 (as sodium hypophosphite •H₂O)
 Magnesium 1.6 g
 (as magnesium borogluconate)
 Dextrose •H₂O 75.0 g

Milliequivalents per liter

Cations

Calcium1,080 mEq/L
 Potassium 410 mEq/L
 Magnesium 261 mEq/L
 Sodium 161 mEq/L

Anions

Borogluconate1,341 mEq/L
 Chloride 410 mEq/L
 Hypophosphite 161 mEq/L

Store between 15°C and 30°C (59°F-86°F)



NDC 60270-128-17

**C-M-P-K
 Injection**

CALCIUM-MAGNESIUM-PHOSPHORUS
 POTASSIUM-DEXTROSE SOLUTION

Dura-Ster TS

TERMINALLY STERILIZED

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

**FOR ANIMAL USE ONLY
 KEEP OUT OF REACH OF CHILDREN**

Net Contents: 500 mL (16.9 fl. oz.)



Manufactured for: VetTek, Blue Springs, MO 64014

INDICATIONS: For use as an aid in the treatment of hypocalcemia (parturient paresis, milk fever), hypomagnesemia (grass tetany), and other conditions associated with calcium, magnesium, phosphorus and potassium deficiencies in cattle.

CONTRAINDICATIONS: Do not administer this product to animals showing signs of cardiac distress.

PRECAUTIONS: Administration should be made slowly and with care to avoid adverse effects such as heart block or shock. Perivascular or subcutaneous deposition of hypertonic solutions may result in severe inflammation at the injection site.

CAUTION: This product contains no preservatives. Use entire contents when first opened. Discard any unused solution.

DOSAGE AND ADMINISTRATION: Warm solution to body temperature. The usual intravenous dose in cattle is 500 mL per 800 to 1,000 pounds of body weight.



Manufactured for:
VetTek
 Blue Springs, MO 64014
 REV 06-19

C-M-P-K

c-m-p-k injection, solution

Product Information

Product Type

PRESCRIPTION ANIMAL DRUG

Item Code (Source)

NDC:60270-128

Route of Administration	INTRAVENOUS
--------------------------------	-------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM GLUCONATE MONOHYDRATE (UNII: CZN0M15R31) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE MONOHYDRATE	10.8 g in 500 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CATION	8.0 g in 500 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	2.5 g in 500 mL
MAGNESIUM GLUCONATE (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	1.6 g in 500 mL
DEXTROSE MONOHYDRATE (UNII: LX22YL083G) (ANHYDROUS DEXTROSE - UNII:5SL0G7R0OK)	DEXTROSE MONOHYDRATE	75.0 g in 500 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60270-128-17	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/01/2019	

Labeler - VetTek (056387798)

Registrant - VetTek (056387798)