

**AC CARE BEES SUN PROTECTION BROAD SPECTRUM SPF 50- ensulizole, octinoxate, octocrylene, titanium dioxide, zinc oxide cream**  
**Dong Sung Bio Pharm. Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**42361-152 Drug Facts**

**Drug Facts**

Ensulizole 3.9%

Octinoxate 7.4%

Octocrylene 3.0%

Titanium Dioxide 4.9%

Zinc Oxide 4.9%

**Drug Facts**

Sunscreen

**Uses**

Not only will it help prevent sunburn, it also reduces the risk of skin cancer and early skin aging if used as directed with other sun protection measures. (SPF value of 15 or higher)

**Warnings**

**For external use only.** Do not use on damaged or broken skin. Discontinue use if signs of irritation or rash appear. Avoid contact with eyes. Wash off immediately with cold water if product comes in contact with eyes. **Keep this and all drugs out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away. **Sun protection measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. and wear long-sleeved shirts, pants, hats and sunglasses. For use on skin only.

**Warnings**

**Keep this and all drugs out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away.

**Directions**

At the end of basic skin care regimen, apply liberally on face to cover the entire facial area and lightly go over parts where extra cover-up is needed with detailed perfection. Apply 15 minutes before sun exposure. For added protection, reapply at least every 2 hours, after swimming, towel drying or extended sun exposure. Use a water resistant sunscreen if swimming or sweating. **Children under 6 months:** Ask a doctor.

***Other Information***

Protect this product from excessive heat and direct sun.

***Inactive Ingredients***


Water, Cocoglycerides, Polyglyceryl-3 Diisostearate, Pentylene Glycol, Glycerin, Cetearyl Alcohol, Triethanolamine, Dimethicone, Butylene Glycol, Pentaerythrityl Distearate, Disodium Cetearyl Sulfosuccinate, Beheneth-25, Aluminum Hydroxide, Stearic Acid, Dimethicone/PEG-10/15 Crosspolymer, Phenoxyethanol, Magnesium Aluminum Silicate, Fragrance, Xanthan Gum, Triethoxycaprylsilane

Sun Protection

Broad Spectrum SPF 50+

UVA/UVB Protection

Mild and Lightweight Essential Sunscreen For Face



a.c.care  
Bee's Sun Protection  
Broad Spectrum SPF 50+  
(UVA/UVB Protection)

**Drug Facts**

Active Ingredients	Purpose
Ensilizole 3.9%	Sunscreen
Octinoxate 7.4%	
Octocrylene 3.0%	
Titanium Dioxide 4.9%	
Zinc Oxide 4.9%	

**Uses** Not only will it help prevent sunburn, it also reduces the risk of skin cancer and early skin aging if used as directed with other sun protection measures. (SPF value of 15 or higher)

**Warnings**

**For external use only.** Do not use on damaged or broken skin. Discontinue use if signs of irritation or rash appear. Avoid contact with eyes. Wash off immediately with cold water if product comes in contact with eyes. **Keep this and all drugs out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center right away. **Sun protection measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. -2 p.m. and wear long-sleeved shirts, pants, hats and sunglasses. For use on skin only.

**Directions** At the end of basic skin care regimen, apply liberally on face to cover the entire facial area and lightly go over parts where extra cover-up is needed with detailed perfection. Apply 15 minutes before sun exposure. For added protection, reapply at least every 2 hours, after swimming, towel drying or extended sun exposure. Use a water resistant sunscreen if swimming or sweating.  
**Children under 6 months:** Ask a doctor.

**Distributed by**  
**Dong Sung World Wide USA, Inc.**  
13733 Milroy Pl., Santa Fe Springs, CA 90670  
TEL. 562.802.0131 / FAX. 562.802.0191  
www.DS@shopusa.com

**Manufactured for**  
**DONGSUNG BIO PHARM.CO.,LTD**  
MADE IN KOREA

a.c.care  
Since 1998

Bee's Sun Protection  
Broad Spectrum SPF 50+



a.c.care



BEE'S

**Drug Facts**  
(continued)

**Other Information** Protect this product from excessive heat and direct sun.

**Inactive Ingredients**

Water, Cocoglycerides, Polyglyceryl-3 Disostearate, Pentylene Glycol, Glycerin, Cetearyl Alcohol, Triethanolamine, Dimethicone, Butylene Glycol, Pentaerythryl Distearate, Disodium Cetearyl Sulfosuccinate, Beheneth-25, Aluminum Hydroxide, Stearic Acid, Dimethicone/PEG-10/15 Crosspolymer, Phenoxyethanol, Magnesium Aluminum Silicate, Fragrance, Xanthan Gum, Triethoxycaprylsilane



Sun Protection  
Broad Spectrum SPF 50+  
UVA/UVB Protection



Exclusive with RDA  
for sensitive skin

Mild and Lightweight Essential  
Sunscreen For Face



a.c.care

2.46 oz

70 g

Dong Sung Pharmaceutical Co., Ltd pursues the development and production of nature-friendly, cosmetic products.  
**a.c.care**  
Since 1998  
a.c.care Bee's embraces Dong Sung Pharmaceutical Co., Ltd's motto of creating products that derive from *power and wisdom of our Mother Nature* through *Advanced Technology*.  
(Korea, Patent No. (10-101832)



**AC CARE BEES SUN PROTECTION BROAD SPECTRUM SPF 50**

ensilizole, octinoxate, octocrylene, titanium dioxide, zinc oxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:42361-152
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ENSULIZOLE (UNII: 9YQ9D11W42) (ENSULIZOLE - UNII:9YQ9D11W42)	ENSULIZOLE	39 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	49 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	49 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	30 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	74 mg in 1 g

<b>Inactive Ingredients</b>	
<b>Ingredient Name</b>	<b>Strength</b>
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
TROLAMINE (UNII: 9O3K93S3TK)	
COCO-GLYCERIDES (UNII: ISE9I7DNUG)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BEHENETH-25 (UNII: 0G17KJ5M7P)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PENTAERYTHRITYL DISTEARATE (UNII: 697WOT8HNB)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42361-152-01	1 in 1 CARTON	01/16/2017	
1		70 g in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/16/2017	

**Labeler** - Dong Sung Bio Pharm. Co., Ltd. (687811661)

**Registrant** - Dong Sung World Wide USA, Inc. (784969219)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Dong Sung Bio Pharm. Co., Ltd.		687811661	label(42361-152)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Omar Sharif Cosmetic Co., Ltd.		689316318	manufacture(42361-152)

Revised: 6/2019

Dong Sung Bio Pharm. Co., Ltd.