

**ERBORIAN - BB CREME AU GINSENG CAMEL SPF20- octinoxate, titanium dioxide, zinc oxide cream**

**LABORATOIRES M&L**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ERBORIAN - BB CREME AU GINSENG CAMEL SPF20**

***Drug Facts***

***Active ingredients***

Ethylhexyl Methoxycinnamate / Octinoxate 3%

Titanium dioxide 6,28%

Zinc oxide 1.92%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away

***Directions***

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. –2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

**Other information**

- Protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

Aqua/water - cyclomethicone - glycerin - CI 77492/iron oxides - dipropylene glycol - peg-10 dimethicone - dimethicone - isoeicosane - talc - hexyl laurate - betaine - disteardimonium hectorite - panax ginseng root extract - kigelia africana fruit extract - portulaca oleracea extract - lycyrrhiza glabra (licorice) root extract - dioscorea villosa (wild yam) root extract - equisetum giganteum extract - glycosyl trehalose - palmitic acid - magnesium sulfate - aluminum hydroxide - dimethicone/vinyl dimethicone crosspolymer - acrylates/dimethicone copolymer - hydrogenated starch hydrolysate - stearic acid - methicone - phenoxyethanol - tocopheryl acetate - triethoxycaprylylsilane - parfum/fragrance - ethylhexylglycerin - butylene glycol - hexyl cinnamal - citronellol - alpha-isomethyl ionone - linalool - geraniol - eugenol - limonene - CI 77499/iron oxides - CI 77491/iron oxides

**Questions or comments?**

Call toll free 1-888-975-2162

**Package Labeling:**

**erborian**  
KOREAN SKIN THERAPY  
PARIS · SEOUL

**BB CRÈME**  
**AU GINSENG**  
**KOREAN FORMULA**

**EFFET « PEAU DE BÉBÉ »**  
**CRÈME DE TEINT-SOIN**  
**POUR LE VISAGE**

The 5-in-1 BB CRÈME AU GINSENG is a Korean formula for visibly perfect skin. This multi-purpose, skin care complexion-enhancer draws on the expertise of Korean technology. Enriched with Ginseng – with multiple beneficial properties renowned in Korea – the formula adapts to your natural skin tone and helps to:

**Drug Facts (continued)**

**Inactive ingredients**

Aqua/water - cyclomethicone - glycerin - CI 77492/iron oxides - dipropylene glycol - peg-10 dimethicone - dimethicone - isoeicosane - talc - hexyl laurate - betaine - disteardimonium hectorite - panax ginseng root extract - kigelia africana fruit extract - portulaca oleracea extract - lycyrrhiza glabra (licorice) root extract - dios-

**Drug Facts**

**Active ingredients...Purpose**

Ethylhexyl Methoxycinnamate / Octinoxate 3%.....Sunscreen  
Titanium dioxide 6,28%.....Sunscreen  
Zinc oxide 1.92%.....Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other

ginseng (wild yam) root extract - corea villosa (wild yam) root extract - equisetum giganteum extract - glycosyl trehalose - palmitic acid - magnesium sulfate - aluminum hydroxide - dimethicone/vinyl dimethicone crosspolymer - acrylates/dimethicone copolymer - hydrogenated starch hydrolysate - stearic acid - methicone - phenoxyethanol - tocopheryl acetate - triethoxycaprylylsilane - parfum/fragrance - ethylhexylglycerin - butylene glycol - hexyl cinnamal - citronellol - alpha-isomethyl ionone - linalool - geraniol - eugenol - limonene - CI 77499/iron oxides - CI 77491/iron oxides

**Questions or comments?**

Call toll free  
1-888-975-2162

5-EN-1  
**"BABY SKIN" EFFECT  
 MAKEUP-CARE  
 FACE CREAM**  
 5-IN-1  
 BROAD SPECTRUM  
 SPF 20 SUNSCREEN



45 ML  
 NET WT. 1.5 OZ.

1. Even out and mattify the complexion,
  2. Reduce the appearance of blemishes,
  3. Refine skin's texture,
  4. Moisturize and "plump" the skin,
  5. Give a non-oily, velvety finish.
- Your skin is visibly softer, smooth and beautiful, with a silky feel, just like "baby skin".  
 [Apply onto face and smooth over the skin, working outwards from the center. Also makes an excellent make-up base.]  
 Tested under dermatological supervision. Non comedogenic.

www.erborian.com  
 Made in South Korea  
 M&L - 108 rue de Richelieu - Paris - France

sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**  
 Do not use ■ on damaged or broken skin  
 When using this product ■ keep out of eyes. Rinse with water to remove  
 Stop use and ask a doctor if ■ rash occurs.  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

For sunscreen use:  
 ■ Apply liberally 15 minutes before sun exposure  
 ■ Reapply at least every 2 hours  
 ■ Use a water resistant sunscreen if swimming or sweating  
 ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 ■ Limit time in the sun, especially from 10 a.m. -2 p.m.  
 ■ Wear long-sleeved shirts, pants, hats and sunglasses  
 ■ Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun



**ERBORIAN - BB CREME AU GINSENG CARMEL SPF20**

octinoxate, titanium dioxide, zinc oxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10345-903
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	30 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	62.8 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISOEICOSANE</b> (UNII: AR294KAG3T)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>KIGELIA AFRICANA FRUIT</b> (UNII: L4J6XXD1E0)	
<b>PURSLANE</b> (UNII: M6S840WYG5)	
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H)	
<b>DIOSCOREA VILLOSA TUBER</b> (UNII: IWY3IWX2G8)	
<b>BEMISIOSE</b> (UNII: 76B4LOB2YC)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95HI)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>HYDROGENATED STARCH HYDROLYSATE</b> (UNII: 27F77DSJ5V)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>TRIETHOXYCAPRYLSILANE</b> (UNII: LDC331P08E)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>EUGENOL</b> (UNII: 3T8H1794QW)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-903-15	1 in 1 BOX	12/16/2016	
1		15 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10345-903-45	1 in 1 BOX	12/16/2016	
2		45 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/16/2016	

**Labeler** - LABORATOIRES M&L (262533623)

Revised: 12/2020

LABORATOIRES M&amp;L