AN ADC SP INTENSIVE WRINKLE- dimethicone cream
AN Co Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredient: Dimethicone 1.3%

INACTIVE INGREDIENT

Inactive Ingredients: Water, Butylene Glycol, Cyclopentasiloxane/PEG-10 Dimethicone/Vinyl Dimechicone Cross Polymer, Dipropylene Glycol, Olive Oil Glycereth-8 Esters, Panthenol, Cetyl Ethylhexanoate, Phytosqualane, 1,2-Hexanediol, Cetyl Alcohol, Glyceryl Stearate, Limnanthes Alba (Meadowfoam) Seed Oil, Polyacrylamide/C13-14 Isoparaffin/ Laureth-7, Polysorbate 60, Ethoxydiglycol, Trimethylpentanediol/Adipic Acid Copolymer, CeramideNP/Hydrogenated Polydecene/Stearic Acid/ButyrospermumParkii(Shea) Butter/Ceteareth-20/Glyceryl Citrate/Lactate/Linoleate/Oleate Butylene glycol, Phenoxyethanol, Beta-Glucan, Dipotassium Glycyrrhizate, Fragrance, Sodium Stearoyl Glutamate, Hydrogenated Lecithin, Carbomer, Triethanolamine, Sodium Polyacrylate, Tocopheryl Acetate, Xanthan Gum, Adenosine, Disodium EDTA, Sodium Hyaluronate, Copper Tripeptide-1, Palmitoyl Pentapeptide-4, Acetyl Hexapeptide-8

PURPOSE

Purpose: Skin Protectant

WARNINGS

Precautions on use: 1. Stop using the product if there are any of the following abnormal symptoms appearing after use and consult with your dermatologist as continued use can worsen the symptoms. A) If there are red spots, swelling, itchiness, or irritation B) If the above symptoms appear around the skin to which the product has been applied after being exposed to direct sunlight. 2. Precautions on storage and handling A) Make sure to close the cap after use. B) Keep out of the reach of children. C) Do not keep the product in a hot or cold place or a place getting direct sunlight. 3. Do not apply the product to any parts of the skin with wound, eczema, or dermatitis.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Suggested use

Suggested use: At the final stage of basic makeup, apply an appropriate amount of the cream to the whole face and gently massage the face upwards to help the skin absorb the nutrients.

DOSAGE & ADMINISTRATION

Dosage & administration: Apply 3~4g of cream to the whole face evenly.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



AN ADC SP INTENSIVE WRINKLE

dimethicone cream

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:69153-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
Dimethicone (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	Dimethicone	0.65 g in 50 g

Inactive Ingredients	
Ingredient Name	**Strength**
Water (UNII: 059QF0KO0R)	
Butylene Glycol (UNII: 3XUS85K0RA)	

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**
1	NDC:69153-100-02	1 in 1 CARTON	05/01/2016	
1	NDC:69153-100-01	50 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	05/01/2016	

Labeler - AN Co Ltd. (688448454)

Registrant - AN Co Ltd. (688448454)

Establishment

Name	Address	ID/FEI	Business Operations
AN Co Ltd.		688448454	manufacture(69153-100)

Revised: 6/2016 AN Co Ltd.