

GOODNOW DIARRHEA RELIEF- loperamide hcl tablet, film coated
Gobrand, Inc

Gobrand, Inc. Diarrhea Relief Drug Facts

Active ingredient (in each caplet)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Heart alert: Taking more than directed can cause serious heart problems or death

Do not use

if you have bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product

tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34 to 47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

Other information

- store at 20° -25° C (68° -77° F)
- see end panel for lot number and expiration date

Inactive ingredients

anhydrous lactose, carnauba wax, D&C yellow no. 10 aluminum lake, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to active ingredient in Imodium® A-D

good™ now

actual size

Diarrhea Relief

Loperamide Hydrochloride Tablets, 2 mg

Anti-Diarrheal

24 CAPLETS*

*CAPSULE SHAPED TABLETS

Anti-Diarrheal

See New Warnings

Controls the symptoms of diarrhea

NDC 82501-0224-0

good now™

Diarrhea Relief
Loperamide Hydrochloride
Tablets, 2 mg
Anti-Diarrheal

NDC 82501-0224-0

good now™

Compare to active ingredient in Imodium® A-D†

actual size



Diarrhea Relief
Loperamide Hydrochloride
Tablets, 2 mg
Anti-Diarrheal

24
CAPLETS*

*CAPSULE SHAPED TABLETS

Anti-Diarrheal

See New Warnings

Controls the symptoms of diarrhea

22462 36 C1

CODE AREA

OPEN OTHER END

Drug Facts

Active ingredient Purpose
(in each caplet) Loperamide HCl 2 mgAnti-diarrheal

Use controls symptoms of diarrhea, including Traveler's Diarrhea

Warnings
Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl. He art ale rt Taking more than directed can cause serious heart problems or death

Do not use if you have to bleed or black stool
As ka doctor before use if you have
■ fever ■ mucus in the stool
■ a history of liver disease
■ a history of abnormal heart rhythm

As ka doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if
■ symptoms get worse
■ diarrhea lasts for more than 2 days
■ you get a abdominal swelling or bulging.
These may be signs of a serious condition.

Drug Facts (continued)

Keep out of reach of children. In case of overdosage, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea
■ find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (80-95 lb)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lb)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34 to 47 lb)	ask a doctor
children under 2 years (up to 33 lb)	do not use

Other information

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

© 2022 GOBRANDS, INC.
DISTRIBUTED BY: GOBRANDS, INC.
PHILADELPHIA, PA 19123
This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., a subsidiary of Imodium® A-D.

CONVENIENT RECLOSING TAB





GOODNOW DIARRHEA RELIEF

loperamide hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82501-0224
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics

Color	GREEN	Score	2 pieces
Shape	OVAL	Size	10mm
Flavor		Imprint Code	L2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82501-0224-0	24 in 1 CARTON	04/12/2023	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075232	04/12/2023	

Labeler - Gobrand, Inc (057499049)

Revised: 4/2023

Gobrand, Inc