

ALLERGY RELIEF- diphenhydramine hcl tablet
TOP CARE (Topco Associates LLC)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

temporarily relieves these symptoms of the common cold:

- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur

- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when operating machinery or driving a motor vehicle
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 25mg
- store between 20-25°C (68-77°F)
- protect from light and moisture

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C Red #27 Aluminum Lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin*, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate, polyvinyl alcohol*, *purified water, *talc, and titanium dioxide

* Contains one or more of these ingredients

Questions or comments?

Call toll free **1-888-423-0139**

Principal Display Panel

COMPARE TO BENADRYL® ALLERGY ACTIVE INGREDIENT**

Allergy Relief

DIPHENHYDRAMINE HCl 25 mg - ANTIHISTAMINE

RELIEF OF:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

TABLETS

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY TOPCO ASSOCIATED LLC

ELK GROVE VILLAGE, IL 60007

©TOPCO PLVA0218

topcare@topco.com

www.topcarebrand.com

Product Label

Lot No.:
Exp. Date:

PLD-056Q EC004540



NDC 36800-790-10



COMPARE TO BENADRYL®
ALLERGY ACTIVE INGREDIENT**

Allergy Relief

DIPHENHYDRAMINE HCl 25 mg - ANTIHISTAMINE

RELIEF OF:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Nose or Throat

100 TABLETS

actual size



Drug Facts

Active ingredient
(in each tablet)
Diphenhydramine HCl 25 mg.....Antihistamine

Purpose
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
- runny nose
- sneezing

Warnings

- Do not use**
- to make a child sleepy
 - with any other product containing diphenhydramine, even one used on skin
- Ask a doctor before use if you have**
- a breathing problem such as emphysema or chronic bronchitis
 - glaucoma
 - trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks

Drug Facts (continued)

- alcohol, sedatives, and tranquilizers may increase drowsiness
 - be careful when driving a motor vehicle or operating machinery
 - excitability may occur, especially in children
- If pregnant or breast-feeding, ask a health professional before use.**
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a doctor
 - do not take more than 6 doses in 24 hours
- | | |
|---------------------------------------|---------------------|
| adults and children 12 years and over | take 1 to 2 tablets |
| children 6 to under 12 years | take 1 tablet |
| children under 6 years | do not use |

Other information

- each tablet contains: calcium 25 mg
- store between 20-25°C (68-77°F)
- protect from light and moisture

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene

Drug Facts (continued)

glycol, polysorbate, polyvinyl alcohol*, purified water*, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call toll free 1-888-423-0139

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO PLVA0218
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

ALLERGY RELIEF

diphenhydramine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-790
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
WATER (UNII: 059QF0KO0R)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	T;061;V;25;S4
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-790-10	1 in 1 BOX	02/28/2018	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

2	NDC:36800-790-40	400 in 1 BOTTLE; Type 0: Not a Combination Product	02/28/2018
---	------------------	--	------------

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/28/2018	

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 12/2022

TOP CARE (Topco Associates LLC)