

LEADER POLY BACITRACIN- first aid antibiotic ointment
Cardinal Health 110, Inc.

Leader Poly-Bacitracin

Drug Facts

Active ingredients (In each gram)

Bacitracin 500 units

Polymyxin B Sulfate 10,000 units

Purpose

First aid antibiotic

Uses

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Allergy alert:

- do not use if you are allergic to any of the ingredients

Do not use

- in or near the eyes
- on large areas of the body

Consult a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than 1 week

Stop use and consult a doctor if

- condition persists or gets worse
- symptoms last for more than 7 days or clear up and come back within a few days
- a rash or other allergic reaction develops

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center immediately.

Directions

- clean the affected area
- apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

Other information

- Store at a controlled room temperature 20°-25°C (68° to 77°F)

Inactive ingredient

Petrolatum

Questions?

Call; 1-800-222-1087

Principal Display Panel – Carton Label

Leader Major NDC 70000-0093-1

Poly Bacitracin Zinc Ointment USP

Bacitracin Zinc 500 units

Polymixin B sulfate 10,000 units

First Aid Antibiotic Ointment

NET WT. 0.5 oz (14g)



Principal Display Panel – Tube Label

Leader NDC 70000-0093-1

Poly Bacitracin Zinc Ointment

Bacitracin Zinc 500 Units

Polymyxin B Sulfate 10,000 units

First Aid Antibiotic Ointment

Protection against Infection

NET WT. 0.5 oz (14g)

NDC 70000-0093-1

LEADER[?]

Poly Bacitracin

Bacitracin Zinc | Polymyxin B Sulfate
First Aid Antibiotic Ointment

First Aid to Help Prevent
Infection in Minor Cuts, Scrapes
and Burns

NET WT. 0.5 OZ (14 g)

COMPARE TO POLYSPORIN[®]
active ingredients*

100% Money Back Guarantee

Active ingredients (in each gram)

Bacitracin 500 units, Polymyxin B 10,000 units First aid antibiotic

Uses: First aid to help prevent infection in minor: • cuts • scrapes • burns

Warnings: For external use only. Allergy alert: • do not use if you are allergic to any of the ingredients. **Do not use** • in or near the eyes • on large areas of the body. **Consult a doctor before use if you have:** • deep or puncture wounds • animal bites • serious burns. **When using this product:** • do not use longer than 1 week **Stop use and consult a doctor if:** • condition persists or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops. **Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) immediately. **Directions** • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily. • may be covered with a sterile bandage. **Other information** • Store at a controlled room temperature 68°-77°F (20°-25°C) **Questions or comments?** Call: 1-800-222-1087

Purpose

*This product is not manufactured or distributed by ©Johnson & Johnson Consumer Products Company - A Division of Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Polysporin[®].

DIST. BY CAH, DUBLIN OH, 43017
www.myleader.com 1-800-200-6313

©2021 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health. All other marks are the property of their respective owners.

CIN 5713771 REV. 5/21

NDC 70000-0093-1

LEADER[?]

Poly Bacitracin

Bacitracin Zinc | Polymyxin B Sulfate
First Aid Antibiotic Ointment

First Aid to Help Prevent
Infection in Minor Cuts, Scrapes
and Burns

NET WT. 0.5 OZ (14 g)

COMPARE TO POLYSPORIN[®]
active ingredients*

100% Money Back Guarantee

Active ingredients (in each gram)

Bacitracin 500 units, Polymyxin B 10,000 units First aid antibiotic

Uses: First aid to help prevent infection in minor: • cuts • scrapes • burns

Warnings: For external use only. Allergy alert: • do not use if you are allergic to any of the ingredients. **Do not use** • in or near the eyes • on large areas of the body. **Consult a doctor before use if you have:** • deep or puncture wounds • animal bites • serious burns. **When using this product:** • do not use longer than 1 week **Stop use and consult a doctor if:** • condition persists or gets worse • symptoms last for more than 7 days or clear up and come back within a few days • a rash or other allergic reaction develops. **Keep out of the reach of children.** If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) immediately. **Directions** • clean the affected area • apply a small amount (equal to surface area of tip of finger) on the area 1 to 3 times daily. • may be covered with a sterile bandage. **Other information** • Store at a controlled room temperature 68°-77°F (20°-25°C) **Questions or comments?** Call: 1-800-222-1087

Purpose

*This product is not manufactured or distributed by ©Johnson & Johnson Consumer Products Company - A Division of Johnson & Johnson Consumer Companies, Inc., owner of the registered trademark Polysporin[®].

DIST. BY CAH, DUBLIN OH, 43017
www.myleader.com 1-800-200-6313

©2021 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health. All other marks are the property of their respective owners.

CIN 5713771 REV. 5/21

LEADER POLY BACITRACIN

first aid antibiotic ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0093
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [USP'U] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Petrolatum (UNII: 4T6H12BN9U)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0093-1	1 in 1 CARTON	06/01/2021	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	06/01/2021	

Labeler - Cardinal Health 110, Inc. (063997360)

Registrant - Cardinal Health 110, Inc. (063997360)

