ALUMINUM MURIATICUM- aluminum muriaticum pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Single label image contains all labeling information for sections 1-14.

ALUMINUM MURIATICUM 30C EST 63545 CONSTIPATION

CONSTIPATION

Contents 5g

HOMEOPATHIC MEDICINE.

Dose: Adult and child Take 2-3 pellets once or as directed by your prescriber. Warning: If pregnant, nursing, or if symptoms persist consult your practitioner.

USE according to standard Homeopathic indications for self-limiting, conditions, such as listed above.

DIRECTIONS: Dissolve one dose under tongue. Repeat as needed of a parceted, Stop standard, symptoms worsen.

ACTIVE INGREDIENT issensible.

ACTIVE INGREDIENT: sucrose.

INITIALITY INGREDIENT: sucrose.

aluminum muriaticum pellet

Product	Information
----------------	--------------------

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-650
--------------	----------------	--------------------	---------------

Route of Administration BUCCAL, SUBLINGUAL, ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	ALUMINUM CHLORIDE	30 [hp_C] in 1 [hp_C]

Inactive Ingredients

Ingredient Name	Strength

SUCROSE (UNII: C151H8 M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-650- 01	240 [hp_C] in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/0 1/20 16	

Hahnemann Laboratories Inc. 1940 Fourth St. San Rafael, CA 94901 TWIST TO OPEN-USE ONLY IF SEALED

ALUMINUM MURIATICUM 30C EST. 63545 CONSTIPATION Contents: 50

LEST 63545

CONSTIPATION

Contents 5g

HOMEOPATHIC MEDICINE.

Dose: Adult and child take 2-3 pellets once or as directed by your prescriber. Warning: ff pregnant, nursing, or if symptoms persist consult your practitioner.

USE according to standard Homeopathic Indications for self-limiting, conditions, such as listed above.

DIRECTIONS: Dissolve one dose under tongue. Repeat as needed or as directed 500c alking if symptoms worsen.

ACTIVE INSERIDENT listed above.

QUESTIONS: Tol free 888-427 6422

INACTIVE INSERIDENT listed above.

INSERIDENT SUPPLIES.

unapproved homeopathic	12/01/2016	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-650)

Revised: 12/2016 Hahnemann Laboratories, Inc.