

**ADULT TUSSIN COUGH AND CHEST CONGESTION DM SUGAR FREE-
dextromethorphan hbr, guaifenesin liquid
AAFES/Your Military Exchanges**

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

Purpose

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

Other information

- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

acesulfame potassium, citric acid, flavors, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

*Compare to active ingredients in Robitussin® Peak Cold Sugar-Free Cough & Chest Congestion DM

SUGAR-FREE

Adult

Tussin

Cough & Chest Congestion DM

Dextromethorphan HBr 20 mg

Cough suppressant

Guaifenesin 200 mg

Expectorant

Relieves:

- Cough
- Chest congestion

Specially Formulated for DIABETICS

Non-drowsy

Alcohol-Free

For Ages 12 Years & over

Dosing Cup Included

FL OZ (mL)

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Peak Cold Sugar Free Cough & Chest COngestion DM

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Manufactured for your military exchanges

By: PL developments

11865 S Alameda St

Lynwood, CA 90262

Package Label

Drug Facts (continued)

Inactive ingredients acesulfame potassium, citric acid, flavor, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Dosing Cup Included

(Optional precautionary statement for Dextromethorphan HBr. Specific to customer's labeling guide)



"SATISFACTION GUARANTEED OR YOUR MONEY BACK."

Manufactured For Your Military Exchanges
By: **PL Developments,**
11865 S. Alameda St
Lynwood, CA 90262

*Compare to the active ingredients in Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM

exchange select

SUGAR-FREE

Adult Tussin Cough & Chest Congestion DM

Dextromethorphan HBr 20 mg Cough Suppressant
Guaifenesin 200 mg Expectorant

Relieves:
• Cough
• Mucus

Specially Formulated for **DIABETICS**

Non-drowsy Alcohol-Free

For Ages 12 Years & Over
4 fl oz (118 mL)

quality value

*Compare to the active ingredients in Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM

exchange select

SUGAR-FREE

Adult Tussin Cough & Chest Congestion DM

Dextromethorphan HBr 20 mg Cough Suppressant
Guaifenesin 200 mg Expectorant

Relieves:
• Cough
• Mucus

Specially Formulated for **DIABETICS**

Non-drowsy Alcohol-Free

For Ages 12 Years & Over
4 fl oz (118 mL)

quality value

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr 20 mg.....Cough suppressant
Guaifenesin 200 mg.....Expectorant

Purposes

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

Other information

- store between 20-25°C (68-77°F). Do not refrigerate.



6 14299 40140 2

PLD-H324C
FC005268

Lot No.:
Exp. Date:

EXCHANGE SELECT Sugar-Free Adult Tussin Cough & Chest Congestion DM

ADULT TUSSIN COUGH AND CHEST CONGESTION DM SUGAR FREE

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:55301-817

Route of Administration

ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|-----------------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 20 mg in 10 mL |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 200 mg in 10 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ACESULFAME POTASSIUM (UNII: 23OV73Q5G9) | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POVIDONE (UNII: FZ989GH94E) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:55301-817-04 | 1 in 1 BOX | 12/31/2018 | 12/31/2025 |
| 1 | | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 12/31/2018 | 12/31/2025 |

Labeler - AAFES/Your Military Exchanges (001695568)

Revised: 2/2024

AAFES/Your Military Exchanges