

**BACITRACIN- bacitracin ointment**  
**Kroger Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Kroger Co. Bacitracin Ointment, USP Drug Facts**

**Active ingredient (each gram contains)**

Bacitracin 500 units

**Purpose**

First aid antibiotic

**Uses**

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

**Warnings**

**For external use only**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### **Other information**

- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

light mineral oil, white petrolatum

### **Questions or comments?**

**1-800-632-6900**

### **Principal Display Panel**

Bacitracin Ointment, USP

First Aid Antibiotic Ointment

Helps prevent infection in minor cuts, scrapes & burns

NET WT 1.0 OZ (28g)



NDC 30142-536-64



# Bacitracin Ointment, USP

**First Aid Antibiotic Ointment**

Helps prevent infection in minor cuts, scrapes & burns

DISTRIBUTED BY  
THE KROGER CO.  
CINCINNATI, OHIO  
45202

QUALITY GUARANTEE  
800-632-6900  
www.kroger.com



PLEASE RECYCLE



NET WT 1.0 OZ (28g)



### Drug Facts

**Active ingredient Purpose (each gram contains)**  
Bacitracin 500 units...First aid antibiotic

**Uses** first aid to help prevent infection in:  
■ minor cuts ■ scrapes ■ burns

### Warnings

For external use only

#### Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

#### Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

#### Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### Other information

- store at 20°-25°C (68°-77°F)

### Inactive ingredients

light mineral oil, white petrolatum

### Questions or comments?

1-800-632-6900

NDC 30142-536-64

NET WT 1.0 OZ (28g)



# Bacitracin Ointment, USP

**First Aid Antibiotic Ointment**

Helps prevent infection in minor cuts, scrapes & burns



53664 45 C4





# BACITRACIN

bacitracin ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-536
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN</b> (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-536-64	1 in 1 CARTON	04/19/2017	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	04/19/2017	

**Labeler** - Kroger Company (006999528)