

**BAYER GENUINE ASPIRIN- aspirin tablet**  
**Bayer HealthCare LLC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Bayer Genuine Aspirin®**

**Drug Facts**

**Active ingredient (in each tablet)**

Aspirin 325 mg (NSAID) <sup>1</sup>

---

1 nonsteroidal anti-inflammatory drug

**Purposes**

Pain reliever/fever reducer

**Uses**

temporarily relieves

- headache
- muscle pain
- toothache
- menstrual pain
- pain and fever of colds
- minor pain of arthritis

**Warnings**

**Reye's syndrome**

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert**

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

## **Stomach bleeding warning**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

**Do not use** if you are allergic to aspirin or any other pain reliever/fever reducer

## **Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if you are** taking a prescription drug for

- gout
- diabetes
- arthritis

## **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- fever lasts more than 3 days
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

**If pregnant or breast-feeding**, ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## **Directions**

- drink a full glass of water with each dose

- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- children under 12 years: consult a doctor

### **Other information**

- save carton for full directions and warnings
- store at room temperature

### **Inactive ingredients**

carnauba wax <sup>2</sup>, corn starch, hypromellose, powdered cellulose, triacetin

<sup>2</sup> may contain this ingredient

---

### **Questions or comments?**

**1-800-331-4536**

(Mon – Fri 9AM – 5PM EST) or [www.bayeraspirin.com](http://www.bayeraspirin.com)

### **PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle Carton**

**FREE  
24 COUNT  
WITH THIS PURCHASE**

**iamproheart  
.com**

***Get Offer & Support.***

***N 0280-2000-10***

***GENUINE ASPIRIN  
BAYER®***

***ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER***

***THE WONDER DRUG®***

***Safe Pain Relief Plus  
Lifesaving Benefits***

***325 mg***

***100 + 24 FREE  
COATED TABLETS***

GENUINE ASPIRIN  
**BAYER**<sup>®</sup>  
ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER



**THE WONDER DRUG**<sup>®</sup>

Safe Pain Relief Plus  
Lifesaving Benefits



FOR ADULT USE

Aspirin is not appropriate for everyone, so be sure to talk to your doctor before you begin an aspirin regimen.

**FREE 24 COUNT**  
WITH THIS PURCHASE



**FREE**  
**24 COUNT**  
WITH THIS PURCHASE



Get Offers & Support.

N 0280-2000-10

GENUINE ASPIRIN  
**BAYER**<sup>®</sup>  
ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER



**THE WONDER DRUG**<sup>®</sup>



Safe Pain Relief Plus  
Lifesaving Benefits



**100 + 24 FREE**  
COATED TABLETS



C2954

Bayer, the Bayer Cross and The Wonder Drug are registered trademarks of Bayer. Whippany, NJ 07981

drug for ● arthritis ● diabetes ● go ul ●

**Drug Facts**

**Active ingredient (in each tablet)** Aspirin 325 mg (NSAID), **Pain reliever/fever reducer**, **nonsteroidal anti-inflammatory drug**

**Uses** temporarily relieves

- headache
- muscle pain
- menstrual pain
- pain and fever/colds
- toothache
- minor pain of arthritis

**Warnings**

**Have's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

**Do not use if you are allergic to aspirin or any other pain reliever/fever reducer**

**Ask a doctor before use if**

- you have a history of stomach problems, such as heartburn or kidney disease
- you have high blood pressure, heart disease, liver cirrhosis, or stomach bleeding warning applies to you
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if you are taking a prescription**

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- you experience any of the following signs of stomach bleeding: feel faint ● vomit blood ● have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- fever lasts more than 3 days
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

**If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions**

- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- children under 12 years: consult a doctor

**Other information**

- save carton for full directions and warnings
- store at room temperature

**Inactive ingredients** carnuba wax, corn starch, hypromellose, powdered cellulose, croscarmellose, may contain this ingredient

**Questions or comments?** 1-800-331-4336 (Mon - Fri 9AM - 5PM EST) or www.bayeraspirin.com

Made in Spain  
Bayer HealthCare LLC

**DATE COD**

**EXPIRES**

**Do not use this product if print "Bayer HealthCare" under cap is**

GENUINE ASPIRIN

# BAYER

ASPIRIN (ASA) PAIN RELIEVER/FEVER REDUCER

**THE WONDER DRUG**

**Safe Pain Relief Plus Lifesaving Benefits**

- Safely Relieves Everyday Aches & Pains Like Headaches, Muscle Aches, & Body Aches
- Coated for Easier Swallowing
- Can Help Save Your Life During

**BAYER**

**325<sup>mg</sup>**



## BAYER GENUINE ASPIRIN

aspirin tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0280-2000
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	BAYER
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-2000-24	1 in 1 CARTON	07/31/2014	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

2	NDC:0280-2000-50	1 in 1 CARTON	07/31/2014	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0280-2000-10	1 in 1 CARTON	07/31/2014	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:0280-2000-20	1 in 1 CARTON	07/31/2014	
4		200 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:0280-2000-01	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/28/2020	
6	NDC:0280-2000-02	500 in 1 BOTTLE; Type 0: Not a Combination Product	04/26/2023	
7	NDC:0280-2000-03	2 in 1 POUCH; Type 0: Not a Combination Product	07/31/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	07/31/2014	

**Labeler** - Bayer HealthCare LLC. (112117283)

Revised: 6/2023

Bayer HealthCare LLC.