

AURUM MURIATICUM NATRONATUM- aurum muriaticum natronatum pellet
Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Single label image contains content for sections 1-17.

AURUM MURIATICUM NATRONATUM

30C

EST. 63545

HEADACHE

Contents: 5g

HOMEOPATHIC MEDICINE.

Dose: Adult and child take 2-3 pellets once or as directed by your prescriber. **Warning:** If pregnant, nursing, or if symptoms persist consult your practitioner.

USE according to standard Homeopathic indications for self-limiting conditions, such as listed above.
DIRECTIONS: Dissolve one dose under tongue. Repeat as needed or as directed. Stop taking if symptoms worsen.
Keep out of reach of children.

ACTIVE INGREDIENT listed above.

QUESTIONS: Toll free 888-427-6422

INACTIVE INGREDIENT: sucrose.

|||||||
0000

Hahnemann Laboratories, Inc. 1949 Fourth St. San Rafael, CA 94901
TWIST TO OPEN. NO NAIL NEEDED.

AURUM MURIATICUM NATRONATUM

aurum muriaticum natronatum pellet				
Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:63545-653
Route of Administration		BUCCAL, ORAL, SUBLINGUAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
SODIUM TETRACHLORO AURATE (UNII: 7FT6QUT299) (TETRACHLORO AURATE ION - UNII:ZNL6IP5PJX)			SODIUM TETRACHLORO AURATE	30 [hp_C] in 1 [hp_C]
Inactive Ingredients				
Ingredient Name			Strength	
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-653-01	240 [hp_C] in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/01/2016	

AURUM MURIATICUM NATRONATUM

30C

EST. 63545

HEADACHE

Contents: 5g

HOMEOPATHIC MEDICINE.

Dose: Adult and child take 2-3 pellets once or as directed by your prescriber. Warning: If pregnant, nursing, or if symptoms persist consult your practitioner.

USE according to standard Homeopathic indications for self-limiting conditions, such as listed above.

DIRECTIONS: Dissolve one dose under tongue. Repeat as needed or as directed. Stop taking if symptoms worsen.

Keep out of reach of children.

ACTIVE INGREDIENT listed above.

QUESTIONS: Toll free 888-427-6422

INACTIVE INGREDIENT: sucrose.

|||||

0000

Hahnemann Laboratories, Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TOP OPEN - NO BOTTLE SEAL

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

unapproved homeopathic	12/01/2016	
------------------------	------------	--

Labeler - Hahnemann Laboratories, Inc. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-653)

Revised: 12/2016

Hahnemann Laboratories, Inc.