

MEIJER OIL FREE SPF 15 - octinoxate, oxybenzone lotion

Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Octinoxate 7.5%

Oxybenzone 2.5%

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in water

Warnings

For external use only

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash or irritation develops and lasts

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age: ask a doctor
- reapply frequently and after towel drying, swimming or perspiring

Other information

- may stain some fabrics
- Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer and other harmful effects of the sun

Inactive ingredients

Water, Aluminum Starch Octenylsuccinate, PEG-8, VP/Eicosene Copolymer, Propylene Glycol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Disodium EDTA, Cocos Nucifera (Coconut) Oil, Mineral Oil, Tocopheryl Acetate, Aloe Barbadensis Leaf Extract, Diazolidinyl Urea, Methylparaben, Propylparaben.

Principal Display Panel

meijer

Oil Free

Sunscreen lotion

fragrance free

dermatologist tested

spf 15

Won't Clog Pores

very water resistant

8 FL. OZ. (237 mL)



| Drug Facts | |
|---|----------------|
| Active ingredients | Purpose |
| Octinoxate 7.5%, Oxybenzone 2.5% | Sunscreen |
| Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water | |
| Warnings For external use only | |
| <i>When using this product</i> • keep out of eyes. Rinse with water to remove. | |
| <i>Stop use and ask a doctor if</i> • rash or irritation develops and lasts. | |
| Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away. | |
| Directions • apply generously and evenly before sun exposure and as needed • children under 6 months of age: ask a doctor • reapply frequently and after towel drying, swimming or perspiring | |
| Other information • May stain some fabrics • Sun Alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun. | |
| Inactive ingredients Water, Aluminum Starch Octylsuccinate, PEG-8, VP/Eicosene Copolymer, Propylene Glycol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Diazolidinyl Urea, Methylparaben, Aloe Barbadosis Leaf Extract, Propylparaben, Disodium EDTA, Tocopheryl Acetate. | |

7 13733 27074 8

DIST. BY MEIJER DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544
www.meijer.com
Made in U.S.A.

MEC3-A

BACK : SILKSCREEN REFLEX BLUE

Purpose

Sunscreen

MEIJER OIL FREE SPF 15

octinoxate, oxybenzone lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:41250-030 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 7.5 g in 100 g |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 2.5 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| TROLAMINE (UNII: 9O3K93S3TK) | |
| DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:41250-030-56 | 226 g in 1 BOTTLE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352 | 07/01/2013 | |

Labeler - Meijer Distribution Inc (006959555)