

**CLE CCC NEUTRAL LIGHT- titanium dioxide, octinoxate, octisalate cream  
KW ABSC, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**69231-028\_CLE CCC Neutral Light**

Titanium Dioxide 8.88%

Ethylhexyl Methoxycinnamate 7.00%

Ethylhexyl Salicylate 3.00%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Cyclohexasiloxane, Butylene Glycol, Isoamyl p Methoxycinnamate, Cetyl PEG/PPG-10/1 Dimethicone, Niacinamide, Dicaprylyl Carbonate, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Ceresin, Diisostearyl Malate, Sodium Chloride, Iron Oxides (CI 77492), Disteardimonium Hectorite, Sorbitan Sesquioleate, Synthetic Wax, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Sorbitan Oliviate, Mica (CI 77019), Iron Oxides (CI 77491), Chlorphenesin, Dipropylene Glycol, Dimethicone, Vegetable Oil, 1,2-Hexanediol, Propylene Carbonate, Hydroxyacetophenone, Polyester-1, Silica Dimethyl Silylate, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Oil, Iron Oxides (CI 77499), Phenyl Trimethicone, Dimethicone Crosspolymer, Adenosine, Cananga Odorata Flower Oil, Disodium EDTA, Natto Gum, Saussurea Involucrata Extract, Bambusa Vulgaris Leaf/Stem Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Cocos Nucifera (Coconut) Oil, Tocopheryl Acetate, Hydrolyzed Hyaluronic Acid, Glycerin, Melissa Officinalis Leaf Extract, Chrysanthemum Indicum Flower Extract, Camellia Sinensis Leaf Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Aspalathus Linearis Leaf Extract, Thymus Vulgaris (Thyme) Flower/Leaf Extract, Jasminum Officinale (Jasmine) Flower Water, Veronica Officinalis Extract, Malva Sylvestris (Mallow) Extract, Achillea Millefolium Extract, Alchemilla Vulgaris Extract, Alcohol, Primula Veris Extract, Mentha

# Piperita (Peppermint) Leaf Extract, Tocopherol



**DRUG FACTS**

**ACTIVE INGREDIENTS-PURPOSES**  
 TITANIUM DIOXIDE 8.88% ..... SUNSCREEN  
 OCTINOXATE 7% ..... SUNSCREEN  
 OCTISALATE 3% ..... SUNSCREEN

**USES**  
 HELP PREVENT SUNBURN

**DIRECTIONS**  
 FOR SUNSCREEN USE:  
 • APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY TWO HOURS. USE A WATER RESISTANT SUNSCREEN IF SWIMMING OR SWEATING.  
 • SUN PROTECTION MEASURES. SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD-SPECTRUM SPF OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING: 1) LIMITED TIME IN THE SUN, ESPECIALLY FROM 10 AM TO 2 PM; 2) WEAR LONG-SLEEVE SHIRTS, PANTS, HATS, AND SUN GLASSES  
 • ASK A DOCTOR TO USE FOR CHILDREN UNDER 6 MONTHS

**INACTIVE INGREDIENTS**  
 WATER, CYCLOPENTASILOXANE, C12-15 ALKYL BENZOATE, CYCLOHEXASILOXANE, BUTYLENE GLYCOL, ISOAMYL P-METHOXYCINNAMATE, CETYL PEG/PPG-10/1 DIMETHICONE, NIACINAMIDE, DICAPRYLYL CARBONATE, BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE, CERESIN, DISOSTEARYL MALATE, SODIUM CHLORIDE, IRON OXIDES (CI 77492), DISTEARDIMONIUM HECTORITE, SORBITAN SESQUIOLEATE, SYNTHETIC WAX, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, SORBITAN OLIVATE, MICA (CI 77019), IRON OXIDES (CI 77491), CHLOROPHENESIN, DIPROPYLENE GLYCOL, DIMETHICONE, VEGETABLE OIL, 1,2-HEXANEDIOL, PROPYLENE CARBONATE, HYDROXYACETOPHENONE, POLYESTER-1, SILICA DIMETHYL Silylate, CITRUS AURANTIUM BERGAMIA (BERGAMOT) FRUIT OIL, CITRUS AURANTIUM DULCIS (ORANGE) OIL, IRON OXIDES (CI 77499), PHENYL TRIMETHICONE, DIMETHICONE CROSSPOLYMER, ADENOSINE, CANANGA ODORATA FLOWER OIL, DISODIUM EDTA, NATTO GUM, SAUSSUREA INVOLUCRATA EXTRACT, VACCINIUM ANGUSTIFOLIUM (BLUEBERRY) FRUIT EXTRACT, TOCOPHERYL ACETATE, HYDROLYZED HYALURONIC ACID, GLYCERIN, MELISSA OFFICINALIS LEAF EXTRACT, CHRYSANTHEMUM INDIICUM FLOWER EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT, ASPALATHUS LINEARIS LEAF EXTRACT, THYMUS VULGARIS (THYME) FLOWER/LEAF EXTRACT, JASMINUM OFFICINALE (JASMINE) FLOWER WATER, VERONICA OFFICINALIS EXTRACT,

**DRUG FACTS (CONTINUED)**  
 MALVA SYLVESTRIS (MALLOW) EXTRACT, ACHILLEA MILLEFOLIUM EXTRACT, ALCHEMILLA VULGARIS EXTRACT, ALCOHOL, PRIMULA VERIS EXTRACT, MENTHA PIPERITA (PEPPERMINT) LEAF EXTRACT, TOCOPHEROL

**WARNINGS**  
 FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. STOP USING AND ASK A DOCTOR IF RASH OCCURS WHEN USING THIS PRODUCT. KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

**OTHER INFORMATION**  
 PROTECT THIS PRODUCT FROM EXCESSIVE HEAT AND DIRECT SUNLIGHT.

**MANUFACTURED FOR** CLE LIFESTYLE CORPORATION 18655 BISHOP AVENUE CARSON, CALIFORNIA USA 90746

**EU RESPONSIBLE PERSON** BIORIUS EU: WAYRE, BE / LONDON WC2H 9JQ, UK

MADE IN KOREA  
[WWW.CLECOSMETICS.COM](http://WWW.CLECOSMETICS.COM)



1 90488 00023 1  
 NEUTRAL LIGHT 103



PLEASE RECYCLED FOR ENVIRONMENTAL PRESERVATION PURPOSE. PLEASE FOLLOW THE INSTRUCTIONS AND CAUTION INFORMATION BEFORE USE.



## CLE COSMETICS

OUR MULTI-FUNCTIONAL ESSENTIALS EDIT OUT THE EXCESS TO BRING YOU HERO PRODUCTS MADE TO MATCH THE PACE OF MODERN LIFE. FLEXIBLE, YET COMPREHENSIVE, EACH OF OUR PRODUCTS CAN SEAMLESSLY COMPLIMENT A MULTI-STEP SELF CARE RITUAL OR STAND ALONE AS A SINGLE, GO-TO PRODUCT.

CCC CREAM IS COMPOSED OF CC AND BB CREAM, UTILIZING MICRO CAPSULE TECHNOLOGY – AN EFFECTIVE TECHNIQUE TO ENSURE THE ESSENCE, TINT AND SUN PROTECTION ARE RELEASED INSTANTLY.

RADIANT SKIN  
**CCC CREAM**

MICRO CAPSULE TECHNOLOGY  
**SPF 50**

**e 30 ML 1FL.OZ**

# CLE CCC NEUTRAL LIGHT

titanium dioxide, octinoxate, octisalate cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69231-028
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 mg in 30 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.9 mg in 30 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.6628 mg in 30 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>AMILOXATE</b> (UNII: 376KTP06K8)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>BEMOTRIZINOL</b> (UNII: PWZ1720CBH)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>SYNTHETIC WAX (1200 MW)</b> (UNII: Q3Z4BCH099)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>POLYESTER-10</b> (UNII: 212N9O2MMZ)	
<b>SILICA DIMETHYL Silylate</b> (UNII: EU2PSP0G0W)	

<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>ORANGE OIL</b> (UNII: AKN3KSD11B)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPa.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>CANANGA OIL</b> (UNII: 8YOY78GNNX)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69231-028-02	1 in 1 PACKAGE	10/18/2022	
1	NDC:69231-028-01	30 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/18/2022	

**Labeler** - KW ABSC, INC. (079548604)

**Registrant** - KW ABSC, INC. (079548604)

### Establishment

Name	Address	ID/FEI	Business Operations
Cit Co., Ltd		690081646	manufacture(69231-028)

Revised: 10/2022

KW ABSC, INC.