

**DAY TIME MULTI-SYMPATOM COLD AND FLU RELIEF- acetaminophen, dextromethorphan hydrobromide, phenylephrine hcl capsule, liquid filled**  
**Discount Drug Mart**

-----  
**DISCOUNT drug mart Day Time Multi-Symptom Cold & Flu Relief**

***Drug Facts***

***Active ingredients (in each Softgel)***

Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg  
Phenylephrine HCl 5 mg

***Purpose***

Acetaminophen	Pain reliever/Fever reducer
Dextromethorphan HBr	Cough suppressant
Phenylephrine HCl	Nasal Decongestant

***Uses***

temporarily relieves common cold and flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pain
- fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
• more than 8 Liquid Caps in 24 hours • which is the maximum daily amount for this product • with other drugs containing acetaminophen  
• 3 or more alcoholic drinks daily while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include  
• skin reddening • blisters • rash.

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

**Do not use:** • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist  
• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before

taking this product.

**Ask a doctor before use if you have** • liver disease • heart disease • thyroid disease • diabetes • high blood pressure • trouble urinating due to an enlarged prostate gland • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
  - symptoms get worse or last 1) more than 5 days (children) or 7 days (adults)
  - fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur
  - cough comes back, or occurs with rash or headache that lasts.
- These could be signs of a serious condition.

**If pregnant or breast feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children, even if you do not notice any signs or symptoms.

**Directions**

- take only as directed (see Warning)
- do not exceed 4 doses per 24 hours

---

adults and Children 12 yrs & over	2 softgels with water every 4 hours
children 4 to under 12 yrs	ask a doctor
children under 4 years	do not use

---

- **when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing**

**Other information**

- store at room temperature 20-25°C (68-77°F)
- avoid excessive heat

**Inactive ingredients** FD&C Red #40, FD&C Yellow #06, gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol sorbitan solution, Titanium dioxide.

**Questions?** Call Weekdays from 9:30 AM to 4:30 PM EST at **1-877-798-5944**

# Package Labeling: DISCOUNT drug mart Day Time Multi-Symptom Cold & Flu Relief

5  
1201240  
3/22

0193351034565

Exp. Date

Lot #



**Cold & Flu Relief** MULTI-SYMPOM

# DayTime

NDC-53943-604-03



**Cold & Flu Relief**

MAY CONTAIN ANTI-THEFT DEVICE

# DayTime

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl

Headache, Fever, Sore Throat, Minor Aches & Pains  
Nasal Congestion, Sinus Pressure  
Cough

Compare to the active ingredients in Vicks® DayQuil™ Cold & Flu LiquiCaps™



24 Softgels

**PARENTS:**  
Learn about teen medicine about  
[www.stopredlinebase.org](http://www.stopredlinebase.org)

DISTRIBUTED BY:  
DRUG MART – FOOD FAIR  
211 COMMERCE DRIVE  
MEDINA, OH 44256  
[www.discount-drugmart.com](http://www.discount-drugmart.com)

CAUTION: UNAUTHORIZED REPACKAGING IS STRICTLY PROHIBITED. THIS PRODUCT IS NOT TO BE REPACKAGED. IF UNABLE TO RETURN TO STORE, SEND RETURN FOR REFUND TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OH 44256

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

BX-130

Drug Facts	
<b>Active ingredients (in each softgel)</b>	<b>Purpose</b>
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant
<b>Uses</b> temporarily relieves common cold/flu symptoms: ■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache	
<b>Drug Facts (continued)</b>	
■ minor aches & pains ■ fever	
<b>Warnings</b> Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 8 LiquiCaps in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product	
<b>Allergy Alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include:	

<b>Drug Facts (continued)</b>	<b>Drug Facts (continued)</b>
■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away. <b>Sore throat warning:</b> If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.	If pregnant or breast-feeding, ask a health professional before use. <b>Keep out of reach of children.</b> In case of accidental overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as children, even if you do not notice any signs or symptoms.
<b>Do not use</b> ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	<b>Directions</b> ■ take only as directed (see Warnings) ■ do not exceed 4 doses per 24 hrs adults & children 12 yrs & over 2 softgels with water every 4 hours children 4 to under 12 yrs ask a doctor children under 4 yrs do not use ■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing
<b>Ask a doctor before use if you have</b> ■ liver disease ■ heart disease ■ thyroid disease ■ diabetes ■ high blood pressure ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma or emphysema	<b>Other information</b> ■ store at room temperature 20-25°C (68-77°F). ■ avoid excessive heat
<b>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</b> <b>When using this product, do not use more than directed.</b>	<b>Inactive ingredients</b> FD&C Red #40, FD&C yellow #6, gelatin, Glycerin, Polyethylene glycol, Povidone, Propylene glycol, Purified water, Sorbitol sorbitan solution, Titanium dioxide.
<b>Stop use and ask a doctor if</b> ■ you get nervous, dizzy or sleepless ■ symptoms get worse or last more than 5 days (children) or 7 days (adults) ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.	<b>Questions?</b> Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5844  *This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® DayQuil™ LiquiCaps™.

DISCOUNT  
drug mart

NDC-53943-604-03

## FOOD MARKET

Cold &  
Flu Relief

## MULTI-SYMPTOM

## DAY TIME

\*Compare to the active ingredients in Vicks® DayQuil™ Cold & Flu LiquiCaps™

24 Softgels

## DISTRIBUTED BY:

**DRUG MART - FOOD FAIR**

**211 COMMERCE DRIVE**

**MEDINA, OH 44256**

**www.discount-drugmart.com**

This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® DayQuil™ LiquiCaps™

**TAMPER EVIDENT: DO NOT USE IF**

**PACKAGE IS OPENED OR BLISTER**

**UNIT IS TORN, BROKEN OR SHOWS**

**ANY SIGNS OF TAMPERING**

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION , NAME, ADDRESS AND EMPTY PACKAGE TO:  
DISCOUNT DRUG MART, 211 COMMERCE DRIVE MEDINA, OHIO 44256

### DAY TIME MULTI-SYMPTOM COLD AND FLU RELIEF

acetaminophen, dextromethorphan hydrobromide, phenylephrine hcl capsule, liquid filled

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-604
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	604
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-604-03	2 in 1 CARTON	11/08/2023	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/08/2023	

**Labeler** - Discount Drug Mart (047741335)

Revised: 11/2023

Discount Drug Mart