RUBIDIUM FLUORATUM- rubidium fluoratum pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Single label image contains content for sections 1-17.

Hahnemann Laboratories Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN-USE ONLY IF SEALED

RUBIDIUM FLUORATUM
30C EST 63545
HEADACHE Contents 5g
HOMEOPATHIC MEDICINE.
Dose: Adult and child take 2-3 pellets once or as directed by your prescriber. Warning: If pregnant, nursing, or if symptoms persist consult your practitioner.
USE according to standard Homeopathic Indications for self-limiting conditions, such as listed above.
DIRECTIONS: Isosalve one does under tongue. Repeat as needed or as directed, Soot aking if symptoms worsen. Kenter of the Content of

rubidium fluoratum pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-673
Route of Administration	BUCCAL, SUBLINGUAL, ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
RUBIDIUM FLUO RIDE (UNII: 63564TNJ4R) (RUBIDIUM FLUORIDE - UNII:63564TNJ4R)	RUBIDIUM FLUORIDE	30 [hp_C] in 1 [hp_C]	

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

Ш	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:63545-673- 01	240 [hp_C] in 1 VIAL, GLASS; Type 0: Not a Combination Product	12/0 1/20 16	

RUBIDIUM FLUORATUM

NUBIDIUM FLUORATUM
30C EST. 63545
HEADACHE Contents. 5g
HOMEOPATHIC MEDICINE.
Dose: Adult and child take 2-3 pellets once or as directed by your prescriber. Warning; if pregnant, nursing, or if symptoms persist consult your practitioner.

USE according to extended Homegoathic Indications for self-limiting conditions, such as listed above. DIRECTIONS: Dissible one does under tongue. Repeat as needed or as directed. Stoot taking if symptoms worsen. Keep out of reach of children. ACTIVE INSREDIENT listed above. QUESTIONS: Till free 888-427 6422. INACTIVE INGREDIENT sucrose.

Hahnemann Laboratories Inc. 1940 Fourth St. San Rafael, CA 94901 TWIST TO OPEN-USE ONLY IF SEALED

Marketing Information

unapproved homeopathic	12/01/2016	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-673)	

Revised: 12/2016 Hahnemann Laboratories, Inc.