

**MDSOLARSCIENCES SPF30 PLUS MINERAL SCREEN - titanium dioxide and zinc oxide gel  
Ecometics, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredients**

Titanium Dioxide 7.7% ..... Sunscreen

Zinc Oxide 3.8% ..... Sunscreen

**Uses**

Helps prevent sunburn

Higher SPF gives more sunburn protection

Retains SPF after 80 minutes of activity in the water or sweating

**Warnings**

For external uses only.

When using this product  
keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if  
rash or irritation develops and lasts.

Keep out of reach of children.

If swallowed, get medical  
help or contact a Poison ControlCenter right away

**Directions**

Apply liberally and uniformly to all exposed areas 15-20 minutes before sun exposure.  
Rub in well. Reapply often (every 2 hours) and after swimming, excessive perspiration and washing.  
Children under 6 months of age ask a doctor. Effective sun protection for children under 2 years  
of age is strongly recommended.

**Other Information**

Sun alert: Limiting sun exposure, wearing protective  
clothing, and using sunscreen may reduce the risk of skin  
aging, skin cancer, and other harmful effects of the sun.  
May stain clothing.

You may report serious adverse reactions to Report Reactions, LLC, PO Box 22, Plainsboro, NJ  
08536-0222

**Inactive Ingredients**

Cyclopentasiloxane, Dimethicone Crosspolymer,

Dimethicone/Vinyl Dimethicone Crosspolymer,  
Dimethicone, Stearoxytrimethylsilane, C30-45 Olefin,  
Phenyl Methicone, Lauryl PEG/PPG-18/18 Methicone,  
Polymethylsilsesquioxane, Dimethiconol, Polyglyceryl-3  
Polydimethylsiloxylethyl Dimethicone, Aluminum Hydroxide,  
Stearic Acid, Triethoxysilylethyl Polymethylsiloxylethyl  
Hexyl Dimethicone.

## Principle Display Panel



# MDSolarSciences

**SPF 30+**  
**Broad Spectrum**  
**UVA-UVB Sunscreen**

**Mineral Screen**

**Broad Spectrum**  
**GEL**

**SENSITIVE SKIN FORMULA**

**Silky Smooth Application**

**Very Water Resistant**

**Non-Comedogenic (won't clog pores)**

**Non-greasy • No Fragrance**

**Suited for Acne/Rosacea Prone Skin**

***For Adults and Children***

**50 g - 1.76 Oz.**

MDSolarSciences  
SPF 30 Plus  
with  
Broad Spectrum  
UVA-UVB Sunscreen

Mineral Screen Gel  
 Sensitive Skin Formula  
 Silky Smooth Application  
 Very Water Resistant  
 Non-Comedogenic (won't clog pores)  
 Non-greasy. No Fragrance  
 Suited for Acne/Rosacea Prone Skin  
 For Adults and Children  
 50g - 1.76 Oz

**Drug Facts**

**Active ingredients:** ..... **Purpose**  
 Titanium Dioxide 7.7% ..... Sunscreen  
 Zinc Oxide 3.8% ..... Sunscreen

**Uses**

- Helps prevent sunburn
- Higher SPF gives more sunburn protection
- Retains SPF after 80 minutes of activity in the water or sweating

**Warnings**

**For external use only**

**When using this product**

- Keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if**

- Rash or irritation develops and lasts

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Apply liberally and uniformly to all exposed areas 15-20 minutes before sun exposure. Rub in well. Reapply often (every 2 hours) and after swimming, excessive perspiration and washing

- Children under 6 months of age: ask a doctor
- Effective sun protection for children under 2 years of age is strongly recommended.

**Other information**

Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreen may reduce the risk of skin aging, skin cancer, and other harmful effects of the sun

- May stain clothing
- You may report serious adverse reactions to Report Reaction, LLC, PO Box 72, Plainsboro, NJ 08538-0222

**Inactive Ingredients**

Cyclopentasiloxane, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone, Stearoxyltrimethylsilane, C30-45 Olefin, Phenyl Methicone, Lauryl PEG/PPG-18/18 Methicone, Polymethylsilsequioxane, Dimethiconol, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Aluminum Hydroxide, Stearic Acid, Triethoxysilyloethyl Polydimethylsiloxyethyl Hoxyl Dimethicone

MDSolarSciences Corp www.mdsolarsciences.com  
 40 Richards Avenue, 3rd Floor, Norwalk, CT 08854

Patent Pending



**MINERAL SCREEN GEL**  
*Safe, Effective & Elegant*

**Sunscreen For Sensitive Skin**

- Zinc & Titanium based
- Free of chemical actives

**Broad Spectrum Protection**

- UVB ("Burning" rays) SPF 30+
- UVA ("Aging" rays) Formulated to meet European standards

**Elegant Cosmesis**

- Silky smooth
- Clear when rubbed in well



**MDSolarSciences**

**SPF 30+**  
 Broad Spectrum  
 UVA-UVB Sunscreen

**Mineral Screen**  
 GEL

**SENSITIVE SKIN FORMULA**

**Silky Smooth Application**

**Very Water Resistant**  
**Non-Comedogenic (won't clog pores)**  
**Non-greasy - No Fragrance**  
**Suited for Acne/Rosacea Prone Skin**

*For Adults and Children*

50 g - 1.76 Oz.

Also Available from  
 MDSolarSciences:

- No Touch Body Spray SPF 40
- Ultra-Sport Stick SPF 40
- Mineral Screen Lotion SPF 40
- Ultra Mineral Screen Gel SPF 50+

**A complete sun protection routine** can help to reduce photo-aging and the incidence of skin cancer.

The use of broad spectrum (UVA and UVB) sunscreens is only one element of safer sun practices. It is also important to take the following sun-safety measures:

**SUN SAFE TIPS:**

**Wear Protective Clothing**  
 A long sleeved shirt, pants, a wide-brimmed hat and sunglasses should be worn where possible.

**Seek Shade**  
 Remember that the sun's rays are strongest between 10am and 4pm. Learn the UV Index and be aware of the strength of the sun's rays.

**Avoid Tanning Beds**  
 UV light from the sun and tanning beds may cause skin cancer and wrinkling.

**Get Vitamin D Safely**  
 Add vitamin supplements to a healthy diet in consultation with your physician.



### **Additional Carton Labeling**

MDSolarSciences Corp  
40 Richards Avenue, 3rd Floor, Norwalk, CT 06854  
www.mdsolarciences.com  
Patent Pending  
UPC 8 55488 00201 1

MINERAL SCREEN GEL  
Safe, Effective & Elegant  
Sunscreen For Sensitive Skin  
Zinc & Titanium based  
Free of chemical actives  
Broad Spectrum Protection  
UVB ("Burning" rays) SPF 30 Plus  
UVA ("Aging" rays) Formulated  
to meet European standards  
Elegant Cosmesis  
Silky smooth  
Clear when rubbed in well

Also Available from  
MDSolarSciences:  
No Touch Body Spray SPF 40  
Ultra-Sport Stick SPF40  
Mineral Screen Lotion SPF40  
Ultra Mineral  
Screen Gel SPF50 Plus

A complete sun  
protection routine  
can help to reduce

photo-aging and the incidence of skin cancer

The use of broad spectrum (UVA and UVB) sunscreens is only one element of safer sun practices. It is also important to take the following sun-safety measures:

#### SUN SAFE TIPS:

##### Wear Protective Clothing

A long sleeved shirt, pants, a wide-brimmed hat and sunglasses should be worn where possible

##### Seek Shade

Remember that the sun's rays are strongest between 10am and 4pm. Learn the UV Index and be aware of the strength of the sun's rays.

##### Avoid Tanning Beds

UV light from the sun and tanning beds may cause skin cancer and wrinkling

##### Get Vitamin D Safely

Add vitamin supplements to a healthy diet in consultation with your physician.

## MDSOLARSCIENCES SPF30 PLUS MINERAL SCREEN

titanium dioxide and zinc oxide gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:17452-390
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	7.7 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.8 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17452-390-01	50 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/01/2010	

**Labeler** - Ecometics, Inc (064843923)

Revised: 11/2010

Ecometics, Inc