

**TUSSIN CHEST - guaifenesin liquid**  
**Kareway Product, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients**  
**(in each 5mL tsp)**

Guaifenesin, USP 100mg

**Purpose**

Expectorant

**Uses**

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

**Warnings**

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if,**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than 6 doses in any 24-hour period

Age	Dose
adults and children 12 years and over	2-4 tsp every 4 hours
children 6 years to under 12 years	1-2 tsp every 4 hours

children 2 years to under 6 years	1/2-1 tsp every 4 hours
under 2 years	ask a doctor

**Other information**

- **each teaspoon contains:**sodium 1mg
- store at 20-25°C (68-77°F)
- alcohol-free
- dosage cup provided

**Inactive ingredients**

cherry flavor, citric acid, FD and C red no. 40, glycerin, high fructose corn syrup, sucrose, sucralose, menthol, propylene glycol, purified water, xanthan gum, polysorbate, saccharin sodium, sodium benzoate

**Package label**

Tussin Chest



**Drug Facts**

Active ingredient (in each 5 mL tsp)	Purpose
Guaifenesin, USP 100 mg.....	Expectorant

**Use** helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

**Warnings**  
**Ask a doctor before use if you have**  
 ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ do not take more than 6 doses in any 24-hour period

**Drug Facts (continued)**

Age	Dose
adults and children 12 years and over	2-4 teaspoons every 4 hours
children 6 years to under 12 years	1-2 teaspoons every 4 hours
children 2 years to under 6 years	1/2-1 teaspoon every 4 hours
under 2 years	ask a doctor

**Other information**  
 ■ each teaspoon contains: sodium 1 mg  
 ■ store at 20-25°C (68-77°F)  
 ■ alcohol-free  
 ■ dosage cup provided

**Inactive ingredients** cherry flavor, citric acid, FD & C red no. 40, glycerin, high fructose corn syrup, sucrose, sucralose, menthol, propylene glycol, purified water, xanthan gum, polysorbate, saccharin sodium, sodium benzoate

\*This product is not manufactured by Wyeth Consumer Healthcare owner of the registered trademark Robitussin®.

**Exclusively distributed by:** **KAREWAY**  
 Kareway Product Inc.  
 Gardena, CA 90248      Made in Korea

8 56023 00526 9

EXP:  
 LOT:

TUSSIN CHEST			
guaifenesin liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0526

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
SUCROSE (UNII: C151H8M554)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
MENTHOL (UNII: L7T10EIP3A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0526-4	1 in 1 BOX		
1		120 mL in 1 BOTTLE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/29/2011	

**Labeler** - Kareway Product, Inc. (121840057)

Revised: 8/2011

Kareway Product, Inc.