

HELIUM- helium gas
Machine & Welding Supply Company dba Arc3 Gases South

Helium-200

HELIUM, COMPRESSED MEDICAL, USP

UN1046

ARC3 GASES

1636 Hwy 301 South, Dunn, NC 28334

1700 Chamberlayne Ave., Richmond, VA 23222

844-534-8021

Rx ONLY. WARNING: Administration of Helium USP may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Helium USP and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

CAS: 7440-59-7

CONTENTS:

Cylinder Type LITERS

K 5888

M 2830

M4 96

D 374

E 577

HELIUM, COMPRESSED MEDICAL, USP

NON-FLAMMABLE GAS

UN1046

ARC3 GASES
1638 Hwy 301 South • Ocean, NC 28524
 1700 Chamberlayne Ave. • Richmond, VA 23222
 844-534-8021

Rx ONLY. WARNING: Administration of Helium USP may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Helium USP and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED; MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CONTENTS:

Cylinder Type	LITERS
K	5888 <input type="checkbox"/>
M	2830 <input type="checkbox"/>
M4	96 <input type="checkbox"/>
D	374 <input type="checkbox"/>
E	577 <input type="checkbox"/>

DO NOT REMOVE THIS PRODUCT LABEL.
CAS: 7440-99-7

HELIUM

helium gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:49575-200
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HELIUM (UNII: 206GF3GB41) (HELIUM - UNII:206GF3GB41)	HELIUM	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49575-200-06	99.5 L in 1 CYLINDER; Type 0: Not a Combination Product	02/01/2022	
2	NDC:49575-200-07	144.4 L in 1 CYLINDER; Type 0: Not a Combination Product	02/01/2022	
3	NDC:49575-200-08	377 L in 1 CYLINDER; Type 0: Not a Combination Product	02/01/2022	
4	NDC:49575-200-09	623 L in 1 CYLINDER; Type 0: Not a Combination Product	02/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA211781	02/01/2022	

Labeler - Machine & Welding Supply Company dba Arc3 Gases South (065300535)

Establishment

Name	Address	ID/FEI	Business Operations
Machine & Welding Supply Company dba Arc3 Gases South		065300535	manufacture(49575-200) , transfill(49575-200)

Revised: 12/2024

Machine & Welding Supply Company dba Arc3 Gases South