

PLEO NOT- penicillium chrysogenum var. chrysogenum ointment
Sanum Kehlbeck GmbH & Co. KG

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Pleo™ Not
OINTMENT 3X

for topical use only
Homeopathic Fever Reducer/Cough Suppressant/Decongestant Medicine

1.05 oz (30g)

Indications

For temporary relief of coughs, fever and congestion due to colds and minor respiratory infections.

DOSAGE

Apply thinly on the affected area 1–3 times daily.

WARNING

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product.

Keep this and all medications out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Protect from light and heat.

Tamper Evident

Do not use this product if metal seal under the tube cap is missing or broken.

ACTIVE INGREDIENTS

1 g ointment contains; 0.1 g Penicillum chrysogenum 3x.

INACTIVE INGREDIENTS

Cocoate magnesium sulfate, glycerylmonostearate, lactic acid, lanolin alcohol, polyglyceryl-3, propylene glycol, water.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:

Sanum-Kehlbeck
GmbH & Co. KG

Rev. 05/2005

PRINCIPAL DISPLAY PANEL - 30 g Ointment Carton

**Pleo™ Not
OINTMENT 3X**

**for topical
use only
Homeopathic
Fever Reducer/
Cough
Suppressant/
Decongestant
Medicine**

Indications: For temporary relief of coughs, fever and congestion due to colds and minor respiratory infections.

ORIGINAL ENDERLEIN

1.05 oz (30g)



2305-1

Pleo™ Not OINTMENT 3X

for topical
use only
Homeopathic
Fever Reducer/
Cough
Suppressant/
Decongestant
Medicine

Indications: For temporary relief of coughs, fever and congestion due to colds and minor respiratory infections.



1.05 oz (30g)

DOSAGE: Apply thinly on the affected area 1-3 times daily.

WARNING: If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health care professional before using this product. **Keep this and all medications out of the reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. Protect from light and heat.

Lot #:

Exp. Date:

Tamper Evident: Do not use this product if metal seal under the tube cap is missing or broken.

ACTIVE INGREDIENTS: 1 g ointment contains; 0.1 g *Penicillium chrysogenum* 3x.

INACTIVE INGREDIENTS: Cocoate magnesium sulfate, glycerylmonostearate, lactic acid, lanolin alcohol, polyglyceryl-3, propylene glycol, water.

Made in Germany

Distributed by:
SANUM USA Corp.
1465 Slater Road
Ferndale, WA 98248

Manufactured By:
Sanum-Kehlbeck
GmbH & Co. KG

Rev. 05/2005

2305-1

470GA3XF530US04

PLEO NOT

penicillium chrysogenum var. chrysogenum ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60681-2305
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
penicillium chrysogenum var. chrysogenum (UNII: 3Y1PE1GCIG) (penicillium chrysogenum var. chrysogenum - UNII:3Y1PE1GCIG)	penicillium chrysogenum var. chrysogenum	3 [HP_X] in 30 g

Inactive Ingredients

Ingredient Name	Strength
glyceryl monostearate (UNII: 230OU9XXE4)	
lactic acid (UNII: 33X04XA5AT)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60681-2305-1	1 in 1 CARTON		
1		30 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		03/19/1996	

Labeler - Sanum Kehlbeck GmbH & Co. KG (318386133)

Revised: 10/2009

Sanum Kehlbeck GmbH & Co. KG