### NITROGEN- nitrogen gas Central Welding Supply Company

-----

#### Nitrogen

NITROGEN, COMPRESSED NF UN 1066 NON-FLAMMABLE GAS 2

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Proteve from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

CENTRAL WELDING SUPPLY www.centralwelding.com

1-800-697-0128

13305 38th Ave NE

MARYSVILLE, WA 98271

IN CASE OF EMERGENCY CALL CHEMTREC 800-424-9300



REFRIGERATED LIQUID

NITROGEN, REFRIGERATED LIQUID NF UN1077 NON-FLAMMABLE GAS 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION
DO NOT CHANGE OR FORCE FIT CONNECTIONS
Rx ONLY.

CONTENTS: LTRS. CUFT.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. DO NOT change or force fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL



Size: Net Weight:

#### **NITROGEN**

nitrogen gas

Droduct	Information	1
FIUUULL	HIII OHIHALIOH	

Product Type PRESCRIPTION ANIMAL DRUG Item Code (Source) NDC:70151-022

Route of Administration RESPIRATORY (INHALATION)

## **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	990 mL in 1 L

P	Packaging						
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date			
1	NDC:70151-022-01	651 L in 1 CYLINDER					
2	NDC:70151-022-02	3115 L in 1 CYLINDER					
3	NDC:70151-022-03	6513 L in 1 CYLINDER					
4	NDC:70151-022-04	7787 L in 1 CYLINDER					
5	NDC:70151-022-05	8495 L in 1 CYLINDER					

# Marketing InformationMarketing CategoryApplication Number or Monograph CitationMarketing Start DateMarketing End DateNADANADA14135711/15/2015

## **Labeler -** Central Welding Supply Company (020232583)

Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					
Central Welding Supply Company		020232583	manufacture					

Revised: 1/2024 Central Welding Supply Company