

ARAMARK BURN GEL- lidocaine gel
Western First Aid Safety DBA Aramark

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

aramark Burn Gel

Drug Facts

Active Ingredients

Lidocaine HCL 2.0%

Purpose

Topical pain relief

Uses

Temporary pain relief for minor burns. For professional use only.

Warnings

For external use only.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center directly.

Do not use

- in large quantities, particularly over raw or blistered areas
- near eyes, if this happens rinse thoroughly with water

Stop use and ask a doctor if

- the condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Directions

- Adults and children 2 years of age and older:

apply to affected area not more than 3 to 4 times daily

- Children under 2 years: do not use, consult a doctor

Other Information

- store at room temperature (do not freeze)
- do not use any open or torn packets

Inactive ingredients

aloe vera, carbomer, germaben II, menthol,
propylene glycol, purified water, triethanolamine,
vitamin E acetate

Questions od Comments?

1-800-456-7077

Package Labeling

aramark

25 ct. Each Packet Net. Wt. 0.9g

BURN GEL

For Temporary Pain Relief of Minor Burns

aramarkuniform.com


MANUFACTURED FOR:

Aramark

Lenexa, KS 66219

886-362-2691

Please retain carton for drug information.




Burn Gel
MANUFACTURED FOR:
 Aramark Lenexa, KS
 66219 (913) 269-9611
 0.9 g (1/32 oz.)

Drug Facts	
Active Ingredient	Purpose
Lidocaine HCl 2.0%	Topical pain relief
Uses Temporary pain relief for minor burns	
Warnings External use only. Keep out of reach of children.	

Drug Facts (continued) Warnings Do not use ■ near eyes, if this happens, rinse thoroughly with water ■ in large quantities, particularly over raw or blistered areas, Stop use, ask a doctor ■ if conditions worsen or last more than 7 days or clears up and returns. If ingested contact a poison control center directly.
Directions ■ adults and children 2 years and older: apply to affected area now more than 3 to 4 times daily ■ children under 2: do not use, ask a doctor
Inactive Ingredients aloe vera, carbomer, germaben II, menthol, propylene glycol, purified water, triethanolamine, vitamin E acetate

res

ARAMARK BURN GEL

lidocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81238-5000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
MENTHOL (UNII: L7T10EIP3A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 9O3K93S3TK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81238-5000-5	25 in 1 BOX	05/28/2021	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/28/2021	

Labeler - Western First Aid Safety DBA Aramark (043861524)

Registrant - Western First Aid Safety DBA Aramark (043861524)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Safetec of America, Inc.

874965262

MANUFACTURE(81238-5000)

Revised: 9/2021

Western First Aid Safety DBA Aramark