# EXTRA STRENGTH AFTERTAT SLIME- lidocaine hclt gel Ridge Properties

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

Directions: Test skin to sensitivity prior to procedure. Apply generously to skin prior to and/or during procedure as needed for pain. Discontinue use if sensitivity occures. Not for use on face.

Warning - Keep out of reach of children - For external use only - Avoid contact with the eyes

Warning - Keep out of reach of children - For external use only - Avoid contact with the eyes

Purpose:
Topical Anesthetic

**Uses:** Temporarily relieves pain from tattoo procedures

# Active ingredients: Lidocaine HCL

4%

Inactive Ingredients:
Flax Seed, Water, Organic Alcohol, Aloe
Vera, Nutmeg, Copaiba Balsam, Oils Of
Moringa Oliefera, Walnut, Almond,
Rosehip, Eucalyptus, Coconut,
(Chromium Oxide - A Natural Green Dye)

## Need Tattoo Shine? Pick some up at WWW.TATBALM.NET

FDA Registered NDC # 69804-020-15

Active ingredients: Lidocaine HCL 4% Purpose:

**Topical Anesthetic** 

Warning - Keep out of reach of children - For external use only Avoid contact with the eyes

#### Other information:

This product was manufactured by Pain Relief Naturally. For contact info please visit

WWW.TATBALM.NET

#### **Drug Facts:**

For professional use only

**Uses:** Temporarily relieves pain

#### EXTRA STRENGTH



#### WITH ADDED LIDOCAINE

Inactive Ingredients:
Flax Seed, Water, Organic Alcohol, Aloe
Vera, Nutmeg, Copaiba Balsam, Oils Of
Moringa Oliefera, Walnut, Almond,
Rosehip, Eucalyptus, Coconut,
(Chromium Oxide - A Natural Green Dye)

Directions: Test skin to sensitivity prior to procedure. Apply generously to Affected area as needed for pain. Discontinue use if sensitivity occurs. Not for use on face.

ō

im

Γ~.

Oz Slime

Stop use and ask a doctor if - Skin becomes irritated - Condition worsens or symptoms last longer than 7 days - Symptoms clear up then reoccur within a few days

Do Not Use if you have any known allergy to any of the ingredients in this product. Discontinue use and seek medical attention should any occur

### Shake well before each use

lidocaine hclt gel

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69804-020	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	40 mg in 1000 mg	

Inactive Ingredients				
Ingredient Name	Strength			
FLAX SEED (UNII: 4110 YT348 C)	75 mg in 1000 mg			
WITCH HAZEL (UNII: 10 1I4J0 U34)	255 mg in 1000 mg			
WALNUT OIL (UNII: Y0P3555R51)	10 mg in 1000 mg			
ALMOND OIL (UNII: 66 YXD4DKO9)	10 mg in 1000 mg			
EUCALYPTUS OIL (UNII: 2R040Ni662)	10 mg in 1000 mg			
COCONUT OIL (UNII: Q9L0O73W7L)	20 mg in 1000 mg			
ALOE VERA WHOLE (UNII: KIZ4X2EHYX)	340 mg in 1000 mg			
COPAIBA OIL (UNII: 64VX45Y68N)	70 mg in 1000 mg			
NUTMEG OIL (UNII: Z1CLM48948)	150 mg in 1000 mg			
MORINGA OLEIFERA LEAF OIL (UNII: 89 D60 4766N)	10 mg in 1000 mg			
ROSA CANINA FLOWER OIL (UNII: DUY7M48 I1T)	10 mg in 1000 mg			

Packaging				
7	# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69804-020-14	28500 mg in 1 JAR; Type 0: Not a Combination Product	0 1/13/20 17	
2	NDC:69804-020-15	56700 mg in 1 JAR; Type 0: Not a Combination Product	0 1/13/20 17	
3	NDC:69804-020-16	113400 mg in 1 JAR; Type 0: Not a Combination Product	0 1/13/20 17	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	0 1/13/20 17	

## **Labeler** - Ridge Properties (029478762)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ridge Properties		029478762	manufacture(69804-020)	

Revised: 1/2017 Ridge Properties