HYDROGEN PEROXIDE FIRST AID ANTISEPTIC- hydrogen peroxide liquid Medline Industries, LP

981 Medline Hydrogen Peroxide Solution

Active ingredient

Hydrogen peroxide (stabilized) 3%

Purpose

First Aid Antiseptic Oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- Clean the affected area
- Apply a small amount of product on the area 1 to 3 times daily

- May be covered with a sterile bandage
- If bandaged, let dry first

Oral debriding agent: adults, children over 2 years of age:

- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute, then spit out
- use up to 4 times daily after meals and at bedtime
- children under 12 years of age should be supervised in the use
- children under 2 years of age: consult a dentist, doctor

Other information

Keep tightly closed. Protect from freezing, avoid excessive heat. Do not shake bottle. Hold away from face when opening.

Inactive ingredients

purified water

Manufacturing Information

Manufactured for: Medline Industries, LP Three Lakes Drive, Northfield, IL 60093 USA Made in USA with domestic and foreign materials www.medline.com 1-800-MEDLINE (633-5463) REF: MDS098001Z

RH17VJO

Package Label





Drug Facts

Active ingredient Hydrogen peroxide (stabilized) 3%

Purpose First aid antiseptic Oral debriding agent

Uses first aid to help prevent the risk of infection in minor cuts, scrapes and burns **a** aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings For external use only

Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if a the condition persists or gets worse sore mouth symptoms do not improve in 7 days riritation, pain, or redness persists or worsens swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions First aid antiseptic: ■ clean the affected area ■ apply a small amount of product on the affected area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Oral debriding agent: adults, children over 2 years of age:

mix with an equal amount of water swish around in the
mouth over the affected area for at least 1 minute, then spit
out use up to 4 times daily after meals and at bedtime
children under 12 years of age should be supervised in the
use children under 2 years of age: consult a dentist, doctor

Other information Keep tightly closed. Protect from freezing, avoid excessive heat. Do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water



www.medline.con

Made in US with US and foreign components for Medline Industries, Inc., Northfield, IL 60093 USA.

1-800-MEDLINE

HYDROGEN PEROXIDE FIRST AID ANTISEPTIC

hydrogen peroxide liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53329-981

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII: BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients						
Ingredient Name	Strength					
WATER (UNII: 059QF0KO0R)						

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
NDC:53329-981- 06	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2007			
NDC:53329-981- 25	3780 mL in 1 JUG; Type 0: Not a Combination Product	01/01/2007			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	01/01/2007		

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)

Revised: 5/2024 Medline Industries, LP