

SOLAR DEFENSE NON TINTED- titanium dioxide, zinc oxide cream
HydroPeptide LLC

Solar Defense Non-Tinted

Drug Facts

Active Ingredients

Titanium Dioxide (3%)

Zinc Oxide (7%)

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging caused by the sun. *Directions*

Warnings

Do not use

on damaged or broken skin.

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection**

Measures.

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor

Inactive Ingredients

1,2-Hexanediol, Allantoin, Alpinia Galanga Extract, Alumina, Biotin, Butylene Glycol, C12-15 Alkly Benzoate, Calendula Officinalis Flower Extract, Camellia Oleifera Leaf Extract, Caprylyl Glycol, Caprylyl Methicone, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorphenesin, Citric Acid Cucumis Sativus (Cucumber) Fruit Extract, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Euterpe Oleracea Fruit Extract, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Glyceryl Undecylenate, Hydrolyzed Yeast Protein, Hydroxyethyl Acylate/Sodium Acryloyldimethyl Taurate Copolymer, Lauryl Peg-9 Polydimethylsiloxylethyl Dimethicone, Niacinamide, Panthenol, PEG-100 Stearate, Pentylene Glycol, Polyhydroxystearic Acid, Polysorbate 60, Propanediol, Propylene Glycol, Pyridoxine HCl, Saccharomyces Cerevisiae Extract, Sodium Citrate, Sodium Hyaluronate, Sodium PCA, Thermus Thermophilus Ferment, Triethoxycaprylylsilane, Triethoxysilylethyl Polydimethylsiloxylethyl Hexyl Dimethicone, Water, Xanthan Gum

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions or comments?

Call 1.800.932.9873

Package Labeling:



TOP FRONT PANEL

HydroPeptide®

SOLAR DEFENSE NON-TINTED

Broad Spectrum
SPF 50
Large Spectre
FPS 50

ANTI-WRINKLE + PROTECT

1.7 FL OZ / e 50 mL

3% Titanium Dioxide +
7% Zinc Oxide,
Antioxidants + Hyaluronic Acid

This advanced sunscreen offers maximum protection from UVA, UVB and Infrared damage with a potent combination of physical blockers, thermus thermophilus ferment and green tea extracts.

Galanga root and hyaluronic acid help maintain a clear complexion and weightless hydration for a smooth, scent-free finish.

Application Tip: Apply sufficient amount of product to cover entire face and massage until evenly absorbed. May also be applied to neck and décolleté.

VISIT HYDROPEPTIDE.COM TO LEARN MORE ABOUT OUR CLINICALLY CLEAN FORMULAS

STORE AT CONTROLLED ROOM TEMPERATURE:
15-30°C / 59-86°F

DIST. BY HYDROPEPTIDE, LLC
ISSAQUAH, WA 98027
RP, MSL, SUITE 5385
27 UPPER PEMBROKE ST, DUBLIN, IE
MADE IN THE USA
ARSDNBXV03



8 58054 00635 2

Drug Facts

| Active Ingredients | Purpose |
|-----------------------|-----------|
| Titanium Dioxide (3%) | Sunscreen |
| Zinc Oxide (7%) | Sunscreen |

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**
- **Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.**

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor

Inactive Ingredients

1,2-Hexanediol, Allantoin, Alpinia Galanga Extract, Alumina, Biotin, Butylene Glycol, C12-15 Alkyl Benzoate, Calendula Officinalis Flower Extract, Camellia Oleifera Leaf Extract, Caprylyl Glycol, Caprylyl Methicone, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorphenesin, Citric Acid, Cucumis Sativus (Cucumber) Fruit Extract, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Euterpe Oleracea Fruit Extract, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Glyceryl Undecylenate, Hydrolyzed Yeast Protein, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Lauryl Peg-9 Polydimethylsiloxethyl Dimethicone, Niacinamide, Panthenol, PEG-100 Stearate, Pentylene Glycol, Polyhydroxystearic Acid, Polysorbate 60, Propanediol, Propylene Glycol, Pyridoxine HCl, Saccharomyces Cerevisiae Extract, Sodium Citrate, Sodium Hyaluronate, Sodium PCA, Thermus Thermophilus Ferment, Triethoxycaprylsilane, Triethoxysilylethyl Polydimethylsiloxethyl Hexyl Dimethicone, Water, Xanthan Gum

Other Information

Protect the product in this container from excessive heat and direct sun.
Questions or comments? Call 1.800.932.9873

SOLAR DEFENSE NON TINTED

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:60934-003 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 30 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 70 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| ALLANTOIN (UNII: 344S277G0Z) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| BIOTIN (UNII: 6SO6U10H04) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) | |
| CAMELLIA OLEIFERA LEAF (UNII: 5077ELOC60) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| CHAMOMILE (UNII: FGL3685T2X) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| CUCUMBER (UNII: YY7C30VXJT) | |
| CYCLOMETHICONE (UNII: NMQ347994Z) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | |
| ACAI (UNII: 46AM2VJ0AW) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| GLYCERYL 1-UNDECYLENATE (UNII: B68LJT9544) | |
| LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA) | |
| NIACINAMIDE (UNII: 25X51I8RD4) | |
| PANTHENOL (UNII: WW9CM0O67Z) | |
| PEG-100 STEARATE (UNII: YD01N1999R) | |
| PENTYLENE GLYCOL (UNII: 50C1307PZG) | |
| POLYSORBATE 60 (UNII: CAL22UVI4M) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) | |
| SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2) | |

| | |
|---|--|
| THERMUS THERMOPHILUS LYSATE (UNII: 775R692494) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| WATER (UNII: 059QF0KO0R) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:60934-003-01 | 1 in 1 BOX | 01/11/2017 | |
| 1 | | 50 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/11/2017 | |

Labeler - HydroPeptide LLC (006297465)

Revised: 12/2023

HydroPeptide LLC