

SOLAR DEFENSE TINTED- titanium dioxide, zinc oxide cream
HydroPeptide LLC

Solar Defense Tinted

Drug Facts

Active Ingredients

Titanium Dioxide (2.5%)

Zinc Oxide (6%)

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun. *Directions*

Warnings

Do not use

on damaged or broken skin.

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection**

Measures.

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: Ask a doctor

Inactive Ingredients

1,2-Hexanediol, Acrylates/Ammonium Methacrylate Copolymer, Allantoin, Aloe Barbadensis Leaf Juice, Alpinia Galanga Extract, Alumina, Benzyl Benzoate, Benzyl Salicylate, Biotin, Boron Nitridem, Butylene Glycol, C12-15 Alkyl Benzoate, Calendula Officinalis Flower Extract, Camellia Oleifera Leaf Extract, Caprylyl Glycol, Caprylyl Methicone, Cellulose Acetate, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorphenesin, Citral, Citric Acid Cucumis Sativus (Cucumber) Fruit Extract, Cyclomethicone, Cyclophentasiloxane, Dimethicone , Disodium EDTA, Ethylhexyl Palmitate, Euterpe Oleracea Fruit Extract, Fragrance, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Hexyl Cinnamal, Hydrolyzed Yeast Protein, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Iron Oxide (CI 77491), Iron Oxide (CI 77492), Iron Oxide (CI 77499), Lauryl Peg-9 Polydimethylsiloxylethyl Dimethicone, Liliial, Limonene, Niacinamide, Panthenol, PEG-100 Stearate, Pentylene Glycol, Polyhydroxystearic Acid, Polysorbate 60, Propanediol, Propylene Glycol Stearate, Propylene Glycol, Pyridoxine HCl, Sodium Citrate, Sodium Hyaluronate, Sodium PCA, Thermus Thermophilus Ferment, Triethoxycaprylylsilane, Triethoxysilylethyl Polydimethylsiloxylethyl Dimethicone, Water, Xanthan Gum

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions or comments?

Call 1.800.932.9873

Package Labeling:



TOP FRONT PANEL

2.5% Titanium Dioxide +
6% Zinc Oxide,
Acai + Green Tea,
Aloe + Hyaluronic Acid

This smooth, matte sunscreen self-adjusts to the color of your skin tone offering flawless coverage and a luminous finish. Galanga root helps to maintain a clear complexion while aloe and hyaluronic acid provide weightless hydration.

In addition to broad spectrum protection against UVA and UVB rays, ingredients such as thermus thermophilus ferment, green tea and acai berry deliver infrared and antioxidant protection for ageless skin.

Application Tip: Break up color adjusting spheres by manipulating between fingers then apply a sufficient amount to cover entire face and massage until evenly blended to skin tone.

VISIT HYDROPEPTIDE.COM TO LEARN MORE ABOUT OUR CLINICALLY CLEAN FORMULAS

STORE AT CONTROLLED ROOM TEMPERATURE:
15-30°C / 59-86°F

DIST. BY HYDROPEPTIDE, LLC
ISSAQUAH, WA 98027
RP, MSL, SUITE 5385
27 UPPER PEMBROKE ST, DUBLIN, IE
MADE IN THE USA
ARSDTBXV04



HydroPeptide®

SOLAR DEFENSE TINTED

Broad Spectrum
SPF 30
Large Spectre
FPS 30

ANTI-WRINKLE
+ PROTECT

1.7 FL OZ / e 50 mL

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide (2.5%)	Sunscreen
Zinc Oxide (6%)	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months of age: Ask a doctor

Inactive Ingredients

1,2-Hexanediol, Acrylates/Ammonium Methacrylate Copolymer, Allantoin, Aloe Barbadensis Leaf Juice, Alpinia Galanga Extract, Alumina, Benzyl Benzoate, Benzyl Salicylate, Biotin, Boron Nitride, Butylene Glycol, C12-15 Alkyl Benzoate, Calendula Officinalis Flower Extract, Camellia Oleifera Leaf Extract, Caprylyl Glycol, Caprylyl Methicone, Cellulose Acetate, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Chlorphenesin, Citral, Citric Acid, Cucumis Sativus (Cucumber) Fruit Extract, Cyclomethicone, Cyclopentasiloxane, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Euterpe Oleracea Fruit Extract, Fragrance, Glycerin, Glyceryl Stearate, Hexyl Cinnamal, Hydrolyzed Yeast Protein, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Iron Oxide (CI 77491), Iron Oxide (CI 77492), Iron Oxide (CI 77499), Lauryl Peg-9 Polydimethylsiloxyethyl Dimethicone, Linal, Limonene, Linoleol, Magnesium Stearate, Methyl Ionone, Niacinamide, Panthenol, PEG-100 Stearate, Pentylene Glycol, Polyhydroxystearic Acid, Polysorbate 60, Propanediol, Propylene Glycol Stearate, Propylene Glycol, Pyridoxine HCl, Sodium Citrate, Sodium Hyaluronate, Sodium PCA, Thermus Thermophilus Ferment, Triethoxycaprylylsilane, Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone, Water, Xanthan Gum

Other Information

Protect the product in this container from excessive heat and direct sun.
 Questions or comments? Call 1.800.932.9873



SOLAR DEFENSE TINTED

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60934-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	25 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	60 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALLANTOIN (UNII: 344S277G0Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
BENZYL BENZOATE (UNII: N863NB338G)	
BENZYL SALICYLATE (UNII: WAO5MNMK9TU)	
BIOTIN (UNII: 6S06U10H04)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
CAMELLIA OLEIFERA LEAF (UNII: 5077ELOC60)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CELLULOSE ACETATE (UNII: 3J2P07GVB6)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CHAMOMILE (UNII: FGL3685T2X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CITRAL (UNII: T7EU009VPP)	
CUCUMBER (UNII: YY7C30VXJT)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ACAI (UNII: 46AM2VJ0AW)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
NIACINAMIDE (UNII: 25X51I8RD4)	

PANTHENOL (UNII: WW9CM0O67Z)
PEG-100 STEARATE (UNII: YD01N1999R)
PENTYLENE GLYCOL (UNII: 50C1307PZG)
POLYSORBATE 60 (UNII: CAL22UVI4M)
PROPANEDIOL (UNII: 5965N8W85T)
PROPYLENE GLYCOL MONOSTEARATE (UNII: MZM1I680W0)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)
THERMUS THERMOPHILUS LYSATE (UNII: 775R692494)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
WATER (UNII: 059QF0KO0R)
XANTHAN GUM (UNII: TTV12P4NEE)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60934-005-01	1 in 1 BOX	01/11/2017	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/11/2017	

Labeler - HydroPeptide LLC (006297465)

Revised: 12/2023

HydroPeptide LLC