

CHILDRENS LORATADINE SUGAR FREE- loratadine solution
Topco Associates LLC

Children's Loratadine Oral Solution
Sugar Free

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver	ask a doctor

Other information

- **do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.**
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions?

Call **1-888-423-0139**

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

TopCare[®]
health[™]

NDC 36800-131-08

COMPARE TO
CHILDREN'S CLARITIN[®]
ACTIVE INGREDIENT*

ORIGINAL
PRESCRIPTION STRENGTH

children's
Allergy

LORATADINE
ORAL SOLUTION USP
5 mg/5 mL
(ANTI-HISTAMINE) / ALLERGY

• OUR PHARMACISTS
RECOMMEND •

INDOOR & OUTDOOR ALLERGIES

24
HOUR

RELIEF OF:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Sugar Free
& Dye Free

ALCOHOL FREE
NON-DROWSY†

Dosing Cup
Enclosed

Ages
2 Years
and older

GRAPE
FLAVOR

4 FL OZ (120 mL)

†When taken as directed.
See Drug Facts Panel.

NDC 36800-131-08



COMPARE TO CHILDREN'S CLARITIN® ACTIVE INGREDIENT*

children's Allergy

LORATADINE ORAL SOLUTION USP
5 mg/ 5 mL
(ANTIHISTAMINE) / ALLERGY
INDOOR & OUTDOOR ALLERGIES

NDC 36800-131-08



COMPARE TO CHILDREN'S CLARITIN® ACTIVE INGREDIENT*

ORIGINAL PRESCRIPTION STRENGTH

children's Allergy

LORATADINE ORAL SOLUTION USP
5 mg/ 5 mL



(ANTIHISTAMINE) / ALLERGY

INDOOR & OUTDOOR ALLERGIES



- RELIEF OF:**
- Sneezing
 - Runny Nose
 - Itchy, Watery Eyes
 - Itchy Throat or Nose

Sugar Free & Dye Free

ALCOHOL FREE NON-DROWSY†

Dosing Cup Enclosed

Ages 2 Years and older



GRAPE FLAVOR



ORIGINAL PRESCRIPTION STRENGTH

children's Allergy

LORATADINE ORAL SOLUTION USP
5 mg/ 5 mL



(ANTIHISTAMINE) / ALLERGY

INDOOR & OUTDOOR ALLERGIES



- RELIEF OF:**
- Sneezing
 - Runny Nose
 - Itchy, Watery Eyes
 - Itchy Throat or Nose

Sugar Free & Dye Free

ALCOHOL FREE NON-DROWSY†

Dosing Cup Enclosed



GRAPE FLAVOR

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin®.

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
© TOPCO TARA0418 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com

MADE IN CANADA

4 FL OZ (120 mL)

†When taken as directed. See Drug Facts Panel.



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT

T181C



NO VARNISH ON THIS FLAP

TopCare health™

NDC 36800-131-08

COMPARE TO CHILDREN'S CLARITIN® ACTIVE INGREDIENT*

ORIGINAL PRESCRIPTION STRENGTH

children's Allergy

LORATADINE ORAL SOLUTION USP 5 mg/ 5 mL

(ANTIHISTAMINE) / ALLERGY

INDOOR & OUTDOOR ALLERGIES



RELIEF OF:

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient	Purpose
(in each 5 mL teaspoonful) Loratadine 5 mg.....	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
• runny nose • itchy, watery eyes
• sneezing • itching of the nose or throat

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions • use only with enclosed dosing cup

adults and children | 2 teaspoonfuls (ten) daily; do not take

24 HOUR

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Sugar Free & Dye Free

ALCOHOL FREE NON-DROWSY†

Dosing Cup Enclosed

Ages 2 Years and older



GRAPE FLAVOR

4 FL OZ (120 mL) †When taken as directed. See Drug Facts Panel.

adults and children 6 years and over	2 teaspoons (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions? Call 1-888-423-0139

NO VARNISH ON THIS FLAP

PPK-7248-4
0618-4
29

CHILDRENS LORATADINE SUGAR FREE

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-131
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJ03BO7QN) (Loratadine - UNII:7AJ03BO7QN)	Loratadine	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
butylated hydroxyanisole (UNII: REK4960K2U)	
glycerin (UNII: PDC6A3C00X)	
sorbitol (UNII: 506T60A25R)	
polyethylene glycol, unspecified (UNII: 3WJQ0SDW1A)	
phosphoric acid (UNII: E4GA8884NN)	
propylene glycol (UNII: 6DC9Q167V3)	

water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium phosphate, monobasic, dihydrate (UNII: 5QWK665956)	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-131-08	1 in 1 CARTON	03/17/2017	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	03/17/2017	

Labeler - Topco Associates LLC (006935977)

Revised: 8/2018

Topco Associates LLC