

ICE COLD ANALGESIC- menthol gel
Volume Distributors, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient	Purpose
Menthol 1.0%	Topical Analgesic

Ⓜ**Uses**Ⓜ temporarily relieves:

- minor muscle aches and pains

Ⓜ**Keep out of reach of children.** ⓂIn case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

DT for your DailyTouch

Ice Cold Analgesic Gel

Gel Frio Antimuscular

Ⓜ**Directions**

For the temporary relief of minor muscle aches and pains.

See important warnings under "When using this product"

- not for use on children under 2 years of age
- adults & children 2 years & older: apply liberally to painful area and massage until gel is absorbed into the skin. Repeat 3 to 4 times daily.
-

Ⓜ**Warnings**

For external use only; avoid contact with eyes.

Ask a doctor before use if you have cough associated with

- smoking
- excessive phlegm
- asthma
- emphysema
- persistent or chronic cough

When using this product, do not:

- heat
- microwave
- add to hot water or any container where heating water may cause splattering and result in burns
- use in eyes or directly on mucous membranes
- take my mouth or place in nostrils
- apply to wounds or damaged skin
- bandage skin

Consult a doctor and discontinue use:Ⓜ if condition worsens, persists for more than 1 week or tends to recur.

Ⓜ**Inactive Ingredients**

camphor, carbomer, FD&C blue no.1, isopropyl alcohol, methylchloroisothiazolinone, methylisothiazolinone, sodium hydroxide, water.

DT
for your
Daily Touch

®

ICE
COLD
ANALGESIC GEL

Gel Frio Antimuscular

8 OZ. (227g)

Drug facts	
Active Ingredient: Menthol 1.0%.....	Purpose Topical analgesic
Uses: temporarily relieves: • minor muscle aches and pains	

Warnings: For external use only; avoid contact with eyes. Ask a doctor before use if you have cough associated with

- smoking • excessive phlegm • asthma • emphysema
- persistent or chronic cough

When using this product, do not; heat • microwave • add to hot water or any container where heating water may cause splattering and result in burns • use in eyes or directly on mucous membranes • take by mouth or place in nostrils • apply to wounds or damaged skin • bandage skin

Consult a doctor and discontinue use; if condition worsens, persists for more than 1 week or tends to recur.

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately,

Directions:
For the temporary relief of minor muscle aches and pains. See important warnings under "When using this product"

- not for use on children under 2 years of age
- adults & children 2 years & older: Apply liberally to painful area and massage until gel is absorbed into the skin. Repeat 3 to 4 times daily.

Inactive Ingredients: Camphor, Carbomer, FD&C Blue No.1, Iso propyl Alcohol, Methylchloroisothiazolinone, Methylisothiazolinone, Sodium Hydroxide, Water.

ITEM NO: CON-40800



DISTRIBUTED BY:
DT PRODUCTS
VERNON, CA 90058
MADE IN CHINA

ICE COLD ANALGESIC

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50523-087
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
METHYLCHLORO ISOTHIAZOLINONE (UNII: DEL7T5QRPN)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50523-087-01	227 g in 1 PACKAGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/10/2015	

Labeler - Volume Distributors, Inc. (002029544)**Establishment**

Name	Address	ID/FEI	Business Operations
Volume Distributors, Inc.		002029544	manufacture(50523-087)

Revised: 7/2015

Volume Distributors, Inc.