

**MEIJER MAXIMUM STRENGTH ANTHLETES FOOT ANTIFUNGAL-  
tolnaftate spray  
Formulated Solutions, LLC**

-----  
**Meijer Maximum Strength Anthlete's foot Tolnaftate Antifungal**

***Drug Facts***

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief if itching, burning, cracking

***Warnings***

For external use only

Flammable: Do not use while smoking or near heat or flame

***Do not use***

on children under 2 years of age unless directed by a doctor

***When using this product***

- avoid contact with the eyes
- use only as directed intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

***Stop use and ask a doctor if***

- irritation occurs
- there is no improvement within 4 weeks

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- In case of clogging, clean nozzle with pin

***Other information***

store at 20-25°C (68-77°F)

***Inactive Ingredients***

alcohol denat, aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylalkonium hectorite, talc

***Questions or comments?***

1-800-719-9260

***Package Labeling:***

NDC 41250-205-90

**meijer**

Compare to Tinactin®  
Antifungal Powder Spray  
active ingredient\*

Maximum Strength

# Athlete's Foot Spray

Tolnaftate 1% • Antifungal

Powder Spray • Goes On Dry

Cures & Prevents  
Most Athlete's Foot

Relieves Itching & Burning

NET WT 4.6 OZ (130 g)

## Drug Facts

### Active Ingredient

Tolnaftate 1%

### Purpose

Antifungal

### Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

### Warnings

For external use only

**Flammable:** Do not use while smoking or near heat or flame

**Do not use** on children under 2 years of age unless directed by a doctor

**When using this product**

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

**Stop use and ask a doctor if**

- irritation occurs
  - there is no improvement within 4 weeks
- Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with pin

### Other Information

- store at 20-25°C (68-77°F)

**Inactive ingredients:** alcohol denat., aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylaluminum hectorite, talc

**Questions or comments?** 1-800-719-9200

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

**DIST. BY MEIJER DISTRIBUTION, INC.**  
GRAND RAPIDS, MI 49544  
www.meijer.com



DOT 2P : 20590 6E F4

**MEIJER MAXIMUM STRENGTH ANTHLETES FOOT ANTIFUNGAL**

tolnaftate spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:23667-810
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TOLNAFTATE</b> (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>STEARALKONIUM HECTORITE</b> (UNII: O LX698AH5P)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:23667-810-01	130 g in 1 CAN; Type 0: Not a Combination Product	01/21/2017	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M005	01/20/2017	

**Labeler** - Formulated Solutions, LLC (143266687)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Formulated Solutions, LLC		143266687	manufacture(23667-810)

Revised: 12/2023

Formulated Solutions, LLC