WALGREENS MAXIMUM STRENGTH JOCK ITCH ANTIFUNGAL- tolnaftate spray Formulated Solutions, LLC

Walgreens Maximum Strength Jock Itch Powder Tolnaftate Antifungal

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch
- for effective relief if itching, chanting and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use

on children under 2 years of age unless directed by a doctor

When using this product

- avoid contact with the eyes
- use only as directed intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal
- contents under pressure. Do not punture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 2 weeks

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

• wash affected area and dry thoroughly

- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persist longer, ask a doctor
- this product is not effective on the scalp or nails
- In case of clogging, clean nozzle with a pin

Other information

store at 20-25°C (68-77°F)

Inactive Ingredients

alcohol denat, aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearalkonium hectorite, talc

Questions or comments?

1-800-719-9260

Package Labeling:



WALGREENS PHARMACIST RECOMMENDED

MAXIMUM STRENGTH

Jock Itch **Powder Spray**

Tolnaftate 1% / Antifungal

- Cures most jock itch
- · Soothes & relieves: Itching, burning & chafing

Compare to Tinactin⁶⁾ active ingredient¹⁾

NET WT 4.6 OZ (130 g)

Drug Facts

Active ingredient

lises

- cures most jock itch
- for effective relief of litching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

When using this product a avoid contact with the eyes

- use only as directed, intentional misuse by deliberately concentraling and inhaling contents can
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C),

Stop use and eak a doctor if in irritation occurs in there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222),

Directions

- wash affected area and dry thoroughly
- in shake can well and spray a thin layer over affected area twice daily (morning and night)
- m supervise children in the use of this product
- use dally for 2 weeks; If condition persists longer, ask a doctor
- in this product is not effective on the scalp or nails
- in case of clogging, clean nozzla with a pin

Other information store at 20-25°C (68-77°F)

inactive ingredients alcohol denat., aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monopleate, stearalkoulum hectorite, talc

Questions or comments? 1-800-719-9260

- Walgreens Pharmaciat Survey Study, November 2014.
- #This product is not manufactured or distributed by Bayer Health Care LLC, distributor of Tinactine.

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RO., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens,com ©2016 Walgreen Co.



REV0316-RF R01

DOT 2P : 69590 94 F5

WALGREENS MAXIMUM STRENGTH JOCK ITCH ANTIFUNGAL

tolnaftate spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:23667-807

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| ı | Active ingredient/Active Plotety | | | |
|---|--|--------------------------|--------------|--|
| | Ingredient Name | Basis of Strength | Strength | |
| | TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) | TOLNAFTATE | 10 mg in 1 g | |

| Inactive Ingredients | | | |
|---|----------|--|--|
| Ingredient Name | Strength | | |
| ALCOHOL (UNII: 3K9958V90M) | | | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ006294) | | | |
| ISOBUTANE (UNII: BXR49TP611) | | | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | | | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | | | |
| SORBITAN MONOOLEATE (UNII: 06XEA2VD56) | | | |
| STEARALKONIUM HECTORITE (UNII: OLX698AH5P) | | | |
| TALC (UNII: 7SEV7J4R1U) | | | |

| Packaging | | | | |
|-----------|----------------------|---|-------------------------|-----------------------|
| # | t Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:23667-807- 01 | 130 g in 1 CAN; Type 0: Not a Combination Product | 01/20/2017 | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M005 | 01/20/2017 | | |
| | | | | |

Labeler - Formulated Solutions, LLC (143266687)

| Establishment | | | | |
|---------------------------|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Formulated Solutions, LLC | | 143266687 | manufacture(23667-807) | |

Revised: 12/2023 Formulated Solutions, LLC