

CAPILLUS HAIR REGROWTH TREATMENT- minoxidil liquid

Capillus, Llc

Capillus Hair Regrowth Treatment

Drug Facts

Active Ingredient

Minoxidil 5%

Purpose

Hair regrowth treatment for men

Use

on the top of the scalp (vertex only, see picture on side of the carton).

Warnings

For external use only. For use by men only.

Flammable: Keep away from fire or flame.

Do not use if

- you are a women
- your amount of hair loss is different than that shown on the side of this carton on your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss;
- you hair loss is sudden and/or patchy;
- you do not know the reason for your hair loss;
- you are under 18 years of age; do not use on babies and children;
- your scalp is red, inflamed, infected, irritated, or painful;
- you use other medicines on the scalp.

Ask a doctor before use if you

have heart disease.

When using this product

- do not apply on other parts of the body;
- avoid contact with the eyes, in case of accidental contact, rinse eyes with large amount of cool tap water;
- soem people have experienced changes in hair color and/or texture;
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results;
- the amount of hair regrowth is different for each person. this product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs;

- sudden, unexplained weight gain occurs;
- your hands or feet swell;
- scalp irritation or redness occurs;
- unwanted facial hair growth occurs;
- you do not see hair regrowth in 4 months.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area.
- Using more or more often will not improve results.
- Continued use is necessary if hair loss will begin again.

Other Information

- see hair loss pictures on side of this carton;
- before use, read all information on carton and enclosed leaflet;
- keep the carton. It contains important information;
- store at USP Controlled Room Temperature 20° to 25°C(68° to 77°F)

Inactive Ingredients

alcohol, propylene glycol, purified water

Questions?

Call 1(888)272-9599 or visit www.capillus.com

Package Labeling:



CAPILLUS HAIR REGROWTH TREATMENT

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71176-781
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120 SH1) (MINOXIDIL - UNII:5965120 SH1)	MINOXIDIL	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71176-781-02	1 in 1 BOX	01/24/2017	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076239	01/24/2017	

Labeler - Capillus, Llc (079813345)

Revised: 2/2017

Capillus, Llc