

ASPIRIN- aspirin tablet, film coated
Kroger Company

Kroger 44-157

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves:

- minor pain of arthritis
- headache
- muscle pain
- menstrual pain
- toothache
- pain and fever of colds

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- asthma (wheezing)
- hives
- facial swelling
- shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- take more or for a longer time than directed
- have 3 or more alcoholic drinks every day while using this product

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have asthma
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours not to exceed 12 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

corn starch, hypromellose, polyethylene glycol, propylene glycol

Questions or comments?

1-800-632-6900

Principal display panel

**COMPARE TO the active ingredient of
genuine BAYER® ASPIRIN †See side panel**

NDC 30142-391-17

Kroger®

**Aspirin
325 mg**

**Pain Reliever/Fever
Reducer (NSAID)**

Safe Pain Relief
Talk to your doctor
or other healthcare
provider before using
this product for
your heart.

325 mg

actual size

**300
TABLETS**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†Bayer® is a registered trademark of Bayer Aktiengesellschaft,
Leverkusen Germany 51373. Bayer Aktiengesellschaft is not
affiliated with The Kroger Co. or this product.

**DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202
FOR MORE PRODUCT INFORMATION, SCAN UPC USING
YOUR KROGER APP OR CALL 800-632-6900**

Our Brands.

Our Guarantee.
Love It or Your
Money Back.
www.kroger.com
50844 REV0122B15717

COMPARE TO the active ingredient of
genuine BAYER® ASPIRIN *See side panel

NDC 30142-391-17

Kroger

Aspirin
325 mg
Pain Reliever/Fever
Reducer (NSAID)

Safe Pain Relief
Talk to your doctor
or other healthcare
provider before using
this product for
your heart.

325 mg actual size

300
TABLETS

TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Purpose
Aspirin 325 mg (NSAID) * Pain reliever/fever reducer
*nonsteroidal anti-inflammatory drug

Uses temporarily relieves: ■ minor pain of arthritis
■ headache ■ muscle pain ■ menstrual pain
■ toothache ■ pain and fever of colds

Warnings
Reye's syndrome: Children and teenagers who have or
are recovering from chicken pox or flu-like symptoms
should not use this product. When using this product, if
changes in behavior with nausea and vomiting occur,
consult a doctor because these symptoms could be an
early sign of Reye's syndrome, a rare but serious illness.
Allergy alert: Aspirin may cause a severe allergic reaction,
which may include: ■ asthma (wheezing) ■ hives
■ facial swelling ■ shock

Stomach bleeding warning: This product contains an NSAID,
which may cause severe stomach bleeding. The chance is higher
if you ■ are age 60 or older
■ have had stomach ulcers or bleeding problems
■ take a blood thinning (anticoagulant) or steroid drug
■ take other drugs containing prescription or nonprescription
NSAIDs (aspirin, ibuprofen, naproxen, or others)
■ take more or for a longer time than directed
■ have 3 or more alcoholic drinks every day while using this
product

Do not use ■ if you are allergic to aspirin or any other pain
reliever/fever reducer
■ if you have ever had an allergic reaction to this product or any
of its ingredients

*Bayer® is a registered trademark of Bayer Aktiengesellschaft,
Leverkusen Germany 51373. Bayer Aktiengesellschaft is not
affiliated with The Kroger Co. or this product.

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202
FOR MORE PRODUCT INFORMATION, SCAN UPC USING
YOUR KROGER APP OR CALL 800-632-6900

Our Brands.
Our Guarantee.
Love It or Your
Money Back.
www.kroger.com

50844 REV0122B15717

PEEL HERE FOR MORE DRUG FACTS

STOP PEELING

Drug Facts (continued)

Ask a doctor before use if
■ stomach bleeding warning applies to you
■ you have a history of stomach problems, such as
heartburn ■ you have asthma
■ you have high blood pressure, heart disease, liver
disease, or kidney disease
■ you are taking a diuretic

Ask a doctor or pharmacist before use if you are taking
a prescription drug for ■ gout ■ diabetes ■ arthritis

Stop use and ask a doctor if
■ an allergic reaction occurs. Seek medical help right away;
■ you experience any of the following signs of stomach
bleeding: ■ feel faint ■ vomit blood
■ have bloody or black stools
■ have stomach pain that does not get better
■ ringing in the ears or a loss of hearing occurs
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days
■ redness or swelling is present ■ new symptoms occur
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional
before use. It is especially important not to use aspirin
at 20 weeks or later in pregnancy unless definitely
directed to do so by a doctor because it may cause
problems in the unborn child or complications during
delivery.

Keep out of reach of children. In case of overdose, get
medical help or contact a Poison Control Center right away.

Directions
■ do not take more than directed
■ drink a full glass of water with each dose
■ adults and children 12 years and over: take 1 or 2 tablets
every 4 hours or 3 tablets every 6 hours not to exceed 12
tablets in 24 hours unless directed by a doctor
■ children under 12 years: do not use unless directed by a
doctor

Other information
■ store at 25°C (77°F); excursions permitted between
15°-30°C (59°-86°F)
■ use by expiration date on package

Inactive ingredients corn starch, hypromellose,
polyethylene glycol, propylene glycol

Questions or comments? 1-800-632-6900

Kroger 44-157

ASPIRIN
aspirin tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-391
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)		ASPIRIN	325 mg
Inactive Ingredients			

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	ASPIRIN;44;157
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-391-17	300 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/26/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/26/2021	

Labeler - Kroger Company (006999528)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(30142-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(30142-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(30142-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(30142-391)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.		967626305	pack(30142-391)
-------------------------	--	-----------	-----------------

Revised: 1/2024

Kroger Company