## CRAMP911- magnesium sulfate, copper sulfate lotion DelCorean, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

\_\_\_\_\_





**Rapidly Relieves & Prevents** 

<del>-</del>-

Leg Cramps • Muscle Spasms Pain Due to Muscle Tightness

LONG-LASTING FOR AN ACTIVE LIFESTYLE

0.71 FL OZ (21 mL)

Lasts up to 8 Hours **Keeps Cramps from** Immediately Returning Safe & Effective

Easy to Apply

**Drug Facts** 

Warnings For external use only

develop

Ask a doctor before use if you have

· diabetes · circulation problems

Other information
• store between 15° and 30° C
(59° and 80° F)
• keep away from heat.

Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms

Inactive ingredients
citric acid, docusate sodium USP,
guaifenesin, isopropyl palmitate, lecithin,
phenylepherine, polysorbate 80, sodium
benzoate, sorbic acid, urea, water.

Drug Facts (continued)

Questions? call 1-800-696-1490

Distributed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
Made in USA
www.cramp911.com

**Patent Pending** 



• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Allergy alert

• irritation or allergic reaction may occur with some people. Test by
applying product to a small area of the inner forearm and wait 30 minutes.
If skin appears normal proceed with directions. **Do not use** if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness of irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms



**Rapidly Relieves & Prevents** 

<del>-</del>-

Leg Cramps • Muscle Spasms Pain Due to Muscle Tightness

LONG-LASTING FOR AN ACTIVE LIFESTYLE

0.71 FL OZ (21 mL)

Lasts up to 8 Hours **Keeps Cramps from** Immediately Returning Safe & Effective

Easy to Apply

**Drug Facts** 

Warnings For external use only

develop

Ask a doctor before use if you have

· diabetes · circulation problems

Other information
• store between 15° and 30° C
(59° and 80° F)
• keep away from heat.

Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms

Inactive ingredients
citric acid, docusate sodium USP,
guaifenesin, isopropyl palmitate, lecithin,
phenylepherine, polysorbate 80, sodium
benzoate, sorbic acid, urea, water.

Drug Facts (continued)

Questions? call 1-800-696-1490

Distributed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
Made in USA
www.cramp911.com

**Patent Pending** 



• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Allergy alert

• irritation or allergic reaction may occur with some people. Test by
applying product to a small area of the inner forearm and wait 30 minutes.
If skin appears normal proceed with directions. **Do not use** if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness of irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms



**Rapidly Relieves & Prevents** 

<del>-</del>-

Leg Cramps • Muscle Spasms Pain Due to Muscle Tightness

LONG-LASTING FOR AN ACTIVE LIFESTYLE

0.71 FL OZ (21 mL)

Lasts up to 8 Hours **Keeps Cramps from** Immediately Returning Safe & Effective

Easy to Apply

**Drug Facts** 

Warnings For external use only

develop

Ask a doctor before use if you have

· diabetes · circulation problems

Other information
• store between 15° and 30° C
(59° and 80° F)
• keep away from heat.

Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms

Inactive ingredients
citric acid, docusate sodium USP,
guaifenesin, isopropyl palmitate, lecithin,
phenylepherine, polysorbate 80, sodium
benzoate, sorbic acid, urea, water.

Drug Facts (continued)

Questions? call 1-800-696-1490

Distributed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
Made in USA
www.cramp911.com

**Patent Pending** 



• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Allergy alert

• irritation or allergic reaction may occur with some people. Test by
applying product to a small area of the inner forearm and wait 30 minutes.
If skin appears normal proceed with directions. **Do not use** if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness of irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms



**Rapidly Relieves & Prevents** 

<del>-</del>-

Leg Cramps • Muscle Spasms Pain Due to Muscle Tightness

LONG-LASTING FOR AN ACTIVE LIFESTYLE

0.71 FL OZ (21 mL)

Lasts up to 8 Hours **Keeps Cramps from** Immediately Returning Safe & Effective

Easy to Apply

**Drug Facts** 

Warnings For external use only

develop

Ask a doctor before use if you have

· diabetes · circulation problems

Other information
• store between 15° and 30° C
(59° and 80° F)
• keep away from heat.

Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms

Inactive ingredients
citric acid, docusate sodium USP,
guaifenesin, isopropyl palmitate, lecithin,
phenylepherine, polysorbate 80, sodium
benzoate, sorbic acid, urea, water.

Drug Facts (continued)

Questions? call 1-800-696-1490

Distributed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
Made in USA
www.cramp911.com

**Patent Pending** 



• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Allergy alert

• irritation or allergic reaction may occur with some people. Test by
applying product to a small area of the inner forearm and wait 30 minutes.
If skin appears normal proceed with directions. **Do not use** if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness of irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms



**Rapidly Relieves & Prevents** 

<del>-</del>-

Leg Cramps • Muscle Spasms Pain Due to Muscle Tightness

LONG-LASTING FOR AN ACTIVE LIFESTYLE

0.71 FL OZ (21 mL)

Lasts up to 8 Hours **Keeps Cramps from** Immediately Returning Safe & Effective

Easy to Apply

**Drug Facts** 

Warnings For external use only

develop

Ask a doctor before use if you have

· diabetes · circulation problems

Other information
• store between 15° and 30° C
(59° and 80° F)
• keep away from heat.

Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms

Inactive ingredients
citric acid, docusate sodium USP,
guaifenesin, isopropyl palmitate, lecithin,
phenylepherine, polysorbate 80, sodium
benzoate, sorbic acid, urea, water.

Drug Facts (continued)

Questions? call 1-800-696-1490

Distributed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
Made in USA
www.cramp911.com

**Patent Pending** 



• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Allergy alert

• irritation or allergic reaction may occur with some people. Test by
applying product to a small area of the inner forearm and wait 30 minutes.
If skin appears normal proceed with directions. **Do not use** if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness of irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms



**Rapidly Relieves & Prevents** 

<del>-</del>-

Leg Cramps • Muscle Spasms Pain Due to Muscle Tightness

LONG-LASTING FOR AN ACTIVE LIFESTYLE

0.71 FL OZ (21 mL)

Lasts up to 8 Hours **Keeps Cramps from** Immediately Returning Safe & Effective

Easy to Apply

**Drug Facts** 

Warnings For external use only

develop

Ask a doctor before use if you have

· diabetes · circulation problems

Other information
• store between 15° and 30° C
(59° and 80° F)
• keep away from heat.

Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms

Inactive ingredients
citric acid, docusate sodium USP,
guaifenesin, isopropyl palmitate, lecithin,
phenylepherine, polysorbate 80, sodium
benzoate, sorbic acid, urea, water.

Drug Facts (continued)

Questions? call 1-800-696-1490

Distributed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
Made in USA
www.cramp911.com

**Patent Pending** 



• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Allergy alert

• irritation or allergic reaction may occur with some people. Test by
applying product to a small area of the inner forearm and wait 30 minutes.
If skin appears normal proceed with directions. **Do not use** if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness of irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms



## CRAMP911

magnesium sulfate, copper sulfate lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35484-924
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE, UNSPECIFIED	0.05 [hp_X] in 1 mL		
BASIC COPPER SULFATE (UNII: CUP529P5NS) (COPPER - UNII:789U1901C5)	BASIC COPPER SULFATE	0.05 [hp_X] in 1 mL		

Strength			
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)			
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ)			

Product Characteristics			
Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35484- 924-21	1 in 1 CARTON	09/01/2008	
1	21 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/01/2008	

## Labeler - DelCorean, LLC (831347104)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	

Fragrance Manufacturing Inc	793406000	manufacture(35484-924)

Revised: 12/2023 DelCorean, LLC