

**TOPCARE CHILDRENS ALL DAY ALLERGY- cetirizine hcl solution**  
**Topco Associates LLC**

-----  
**Topco Associates LLC. Children's All-Day Allergy Drug Facts**

**Active ingredient (in each 5 mL)**

Cetirizine HCl 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is opened, or if printed neckband is broken or missing**
- see bottom panel for lot number and expiration date

**Inactive ingredients**

anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

**Questions or comments?**

**1-888-423-0139**

**Package/Label Principal Display Panel**

50% MORE FREE

TopCare® health

COMPARE TO CHILDREN'S ZYRTEC® ACTIVE INGREDIENT

children's

All-Day Allergy

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL

ANTIHISTAMINE

INDOOR & OUTDOOR ALLERGIES

24 HOUR

RELIEF OF:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Dye Free & Sugar Free

2 Years & older

GRAPE FLAVOR

4 + 4 FL OZ (120 mL) =

8 FL OZ (240 mL)

Dosing cup included



## TOPCARE CHILDRENS ALL DAY ALLERGY

cetirizine hcl solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-475
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)		CETIRIZINE HYDROCHLORIDE	5 mg in 5 mL	

  

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

  

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

  

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-475-26	1 in 1 CARTON	02/02/2016	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:36800-475-00	1 in 1 CARTON	11/01/2021	
2		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204226	02/02/2016	

**Labeler** - Topco Associates LLC (006935977)